

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क अरेवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय-पश्चिम उ०प्र०, लखनऊ Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ—226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP) 19001/1/RO-W-UP/NH-509/Km. 5.700-17.700/CSPL/ 784-

दूरभाष / Phone : 0522-4960291

टेलीफैक्स / Fax : 0522-4950680 ई—मेल / E-mail : rowestup@nhai.org

rowestup@gmail.com

वेबसाइट / Website : www.nhai.gov.in

Dated: 28.06.2021

Invitation of Public Comments

Sub: Proposal for permission for laying of 6" Ø Carbon Steel Gas Pipeline along NH-509 (Old NH-93) from Ch. 5.700 to Ch. 17.700 and Five crossing at Ch. 6.140, Ch. 6.385, Ch. 13.540 & Ch. 16.520 (on NH-509) and Ch. 6.665 (on NH-09) to develop CGD Network in Moradabad District of Uttar Pradesh State.

The Assistant General Manager, M/s Torrent GAS, Moradabad has submitted the aforesaid proposal for permission for laying of 6" Ø Carbon Steel Gas Pipeline along NH-509 (Old NH-93) from Ch. 5.700 to Ch. 17.700 and Five crossing at Ch. 6.140, Ch. 6.385, Ch. 13.540 & Ch. 16.520 (on NH-509) and Ch. 6.665 (on NH-09) to develop CGD Network in Moradabad District of Uttar Pradesh State.

- 2. From the submitted proposal, it is seen that as per checklist the Gas Pipe line is proposed 6" Ø Carbon Steel Gas Pipeline (LHS) along the road from NH Ch. 5.700 to Ch. 17.000 (Total length = 11.300km) and across the road at Ch. 6.385 (Between km. 6.300 to km. 6.400, length = 25m) at Ch. 13.540 (Between km. 13.500 to km. 13.600, length = 25m) and at Ch. 16.520 (Between km. 16.500 to km. 16.600, length = 25m), Ch. 6.140 (length = 30m) and Ch. 6.665 (length = 60m) respectively (Total applied length = 12165m). Width of available ROW is 25m. Total proposed length =12.05 km. Further, it has been mentioned that the Left as well as Right side from centre line towards increasing chainage/km direction is 12.5m. The project is existing 2-lane. Applicant has proposes Methodology for laying/crossing of Gas Pipeline through open trench and HDD Method. However, if the proposal found in order, permission will be given only through HDD method for executing the work, so that surface can be damaged minimal and work can be executed rapidly.
- 3. As per the guidelines issued by the Ministry vide OM No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained

The General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

Contd.....2/-

"Building a nation, not just Roads."

::2::

This issues with the approval of RO-UP (West), Lucknow.

Encl: As above.

(Anuj Kumar Singh)

Manager (Tech.)

For RO-UP (West)

Copy to:

1. Web Admin, NHAI, HQ - with a request for uploading on the NHAI website.

- 2. The Technical Director, NIC, Transport Bhawan, New Delhi with a request for uploading on Ministry's website.
- 3. PD, PIU-Moradabad for information.
- 4. The Assistant General Manager, M/s Torrent GAS, Moradabad for information.

CHECK - LIST

Check list for getting approval for laying of Gas pipeline on NH Land

Sr. No.	Item	Information / Status	Rem
_1	General Information		
1.1	Name and Address of the Applicant / Agency	Torrent Gas Moradabad Ltd. CNG Station, Village: Dhannupura, 14 Km Milestone, NH-24, Moradabad-244001, U.P.	
1.2	National Highway Number	NH-509(Old NH 93)	-
1.3	State	Uttar Pradesh	-
1,4	Location	Moradabad	1
1.5	(Chainage in Km)	Along the Road: Along with NH 509(Old NH 93) Between Km Stone 5.700 to 17.000 Km Across the Road: 1. Across at Ch: 6.385Km (Between Km Stone 6.300 to 6.400Km) 2. Across at Ch: 13.540 Km(Km Stone Between 13.500 to 13.600 Km) 3. Across at Ch: 16.520 Km(Km Stone Between 16.500 to 16.600 Km)	less lu
1.6	Length in Meters	Along the Road: 1. Between Km Stone 5.700 Km and 17.00 Km- (Length = 11.300 m) Across the Road: 1. Across on Ch: 6.385Km Between Km Stone 6.300 to 6.400 Km-(Length=25 m) 2. Across on Ch: 13.540Km Between Km Stone 13.500 to 13.600Km-(Length=25M) 3. Across on Ch: 16.520Km Between Km Stone 16.500 to 16.600Km-(Length=25M)	
1.7	Width of available ROW (a) Left side from center line	25 m 12.5 m	
	towards increasing chainage / km direction		
	(b) Right side from center line towards increasing chainage / km direction	3 12/5 m	
1.8	Proposal to lay underground Gas	प्रियोजना निदेशक Pro	ect Dire

Schermo

परियोजना निदेशक Project Director वित्राप्तिय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मरादाबाद /Moradahad

	pipeline	1
	(a) Left side from center line towards increasing chainage / km direction	
	(b) Right side from center line towards increasing chainage / km direction	
1.9	Proposal to acquire Land	N/A.
	(a) Left side from center line	
	(b) Right side from center line	
1.10	Whether proposal is in the same side where land is not to be acquired	N/A.
111	If not then where to lay the cable	
1.11	Details of already laid services, if any, along the proposed route	N/A.
1.12	Number of lanes (2/4 /6/8 lanes) existing	2 Lane
1.13	Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes)	
1.14	Service Road existing or not	No
	If yes then which side	No.
	(a) Left side from center line	
	(b) Right side from center line	
1.15	Proposed Service Road	N/A.
	(a) Left side from center line	
	(b) Right side from center line	
1.16	Whether proposal to lay Gas pipeline is after the service road or between the service road and main	N/A.
1.17	Carriageway	
1.17	The permission for laying of Gas pipeline shall be considered for approval / rejection based on the Ministry Circulars mentioned as above.	Yes
	(a) Carrying of sewage / Gas pipelines on highway bridges shall not be permitted as Fumes / Gas pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of Gas.	For Natural Gas pipeline
	(b) Carrying of Gas pipelines on bridges shall not be discouraged. However, if the Gas authorities seem to have	N/A GAS MO

Scurmo

वारयोजना निदेशक+Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India

	authority well in time befor	
	the design of the bridge i	s
	finalized, they may b	e
	permitted to carry the pipelin	e
	on independer	
	superstructure, supported o	
	extended portions of piers an	
	abutments in such a manne	
	that in the final arrangemen	
	enough free spade around the	
	superstructure of the bridge	
	remains available for	
	inspection and repairs etc.	
	(c) Cost of required extension of	
	the substructure as well as tha	
	of the supporting	
	superstructure shall be borne	9
	by the agency-in-charge of the	
	utilities.	
	(d) Services are not being allowed	N/A
	indiscriminately on the parape	
	/ any part of the bridges	
	Safety of the bridges has to be	
	kept in view while permitting	
	various services along bridge	
	Approvals are to be accorded	
	in this regard with the	
	concurrence of the Ministry's	
1.18	Project Chief Engineers only.	f Yes
1.10	If crossings of the road involved	
	Yes, it shall be either encased in	
	pipes or through structure of	
	conduits specially built for that	
	purpose at the expenses of the	
	agency owning the line	
	(a) Existing drainage structure	
	shall not be allowed to carr	
	the lines.	
	(b) The utility services shall cross	
	the National Highwa	
	preferably on a line normal to	t
	or as nearly show a	S Comments
	practicable. Think Ga	S S
	Ludhiana Pvt. Limited shall be	
	permitted to cross the Nationa	
	Highway either through	
	structure or conduits speciall	
	built for that purpose. The	
	casing / conduit pipe should	
	as minimum, extend from drain	1 //2/
	to drain in cuts and toe of	
	100000000000000000000000000000000000000	भारतीय राष्ट्रीय सनमार्ग प्राधिः
		प्राप्त प्राप्त प्राप्त प्राप्त प्राप्त

Ser 1819/2020

भारतीय राष्ट्रीय सनमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

		alama ta ta carfallari di su	
		slope to toe of slope in the fills	
		and shall be designed in	
		accordance with the provision	
		of IRC and executed following	
		the Specifications of the	
		Ministry.	
	(c)	The casing pipe may be	Yes Crossing Will be Provided
		installed under the route	
		embankment either by boring	
		or digging a trench. Installation	
		by boring method shall prefer.	
	(4)		Voo
	(d)	The casing pipe (or conduit	Yes
		pipe in the case of electric	
		cable) carrying the utility line	
		shall be of steel, cast iron, or	
		reinforced cement concrete	
		and have adequate strength	
		and be large enough to permit	
		ready withdrawal of the carrier	
		pipe / cable.	
	(e)	Ends of the casing / conduit	Yes
4.51	(-)	pipe shall be sealed from the	
		outside, so that it does not act	
		as a drainage path.	
	(f)	The casing / conduit pipe	Yes
	(1)	should, as minimum extend	ies
		The state of the s	
		from drain to drain in cuts and	
		toe of slope toe of slope in the	
	(~)	fills.	
	(g)	The top of the casing / conduit	Van
		pipe should be at least 1.2	Yes
		meter below the surface of	
		the road subject to being at	
		least 0.3 meter below the	
	(1.)	drain inverts.	
	(h)	Crossing shall be by boring	Yes
		method (HDD) specially	
		where the existing road	
		pavement is of cement	
		concrete or dense	
		bituminous concrete type.	
	(i)	The casing / conduit pipe	Yes
		shall be installed with an even	
		bearing throughout its length	
		and in such a manner as to	
		prevent the formation of a	
		Gas way along it.	
2		ument / Drawings enclosed with	Enclosed
0.00	the	proposal	GAS MOR
	_		
2.1		ss section showing the size of ch for open trenching method	RAREN DE LA CONTROL DE LA CONT

18/09/2020

परियोजना निदेशका Foject Director भारतीय राष्ट्रीय राजमार्ग माधिकरण National Highway Authority of India मुरादाबाद /Moradabad

	(Is it normal size of 1.2 meter deep X 0.6 meter wide)	Enclosed
	(i) Should not be greater than 60 cm wider than the outer diameter of the pipe	
	 (ii) Located as close to the extreme edge of the right-of-way as possible but the utility services shall cross the National Highway preferably on a line normal to it or as nearly so as practicable. (iii) The casing pipe shall be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred. (iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the 	
2.2	road land. Cross section showing the size of pit and location of cable for HDD method	Enclosed
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed
2.4	Methodology for laying of Gas pipeline	Enclosed
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Agree
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Agree
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without	Agree
	to yield a lilli surface without	वारेयोजना निवेद्या Project-L

1819/2020

परियोजना निवेदको Project Directo. भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India भुरादाबाद /Moradabad

	sudden change in the bearing value.	
	Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed
	(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Agreed
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Agreed
	(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Agreed
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Agreed
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes
2.4.3	Laying of Gas pipeline through CD works and method of laying	
	(a) The utility services shall cross the National Highway preferably on a line normal to it for as nearly so as practicable and subject to all other stipulations contained in this Ministry's guidelines issued with letter No. RW/NH-33044/29/ 2015/S&R(R) – Dtd. 22nd November, 2016	Yes
3	Draft License Agreement signed by two witnesses	Enclosed (178)
		भारतीय राष्ट्रीय राज्या

181912020

परियोजना निदेशका Project Director भारतीय राष्ट्रीय राजमार्ग आधिकरण National Highway Authority of India मुरादाबाद /Moradabad

4	Performance Bank Guarantee in	
	favour of NHAI has to be obtained	at the time of receipt of
	@ Rs per running meter	permission
	(parallel to NH) and Rs per	
	crossing of NH, for a period of one	
	year initially (extendable if required	
	till satisfactory completion of work)	
	as a security for ensuring / making	
	good the excavated trench for	
	laying the cables / ducts by proper	
	filling and compaction, clearing	
	debris / loose earth produced due	
	to execution of trenching at least 50	
	meters away from the edge of the	
	right of way. No payment shall be	
	payable by the NHAI to the licensee	
	for clearing debris / loose earth.	
4.1	Performance BG as per above is to	Yes
	be obtained.	
4.2	Confirmation of BG has been	No
	obtained as per NHAI guidelines	
5	Affidavit / Undertaking from the	
	Applicant for	
5.1	Not to Damage to other utility, if	Enclosed
	damaged then to pay the losses	
	either to NHAI or to the concerned	
	agency	
5.2	Renewal of Bank Guarantee	Enclosed
5.3	Confirming all standard condition of	Enclosed
	NHAI guideline	
5.4	Shifting of Gas Pipeline as and	Enclosed
	when required by NHAI at their own	
	cost	
5.5	Shifting due to 6 lanning / widening	Enclosed
	of NH	
5.6	Indemnity against all damages and	Enclosed
	claims clause (xxiv)	
5.7	Traffic movement during laying of	Enclosed
	Gas pipeline to be managed by the	
	applicant	
5.8	If any claim is raised by the	Enclosed
0.0	Concessionaire then the same has	
	to be paid by the applicant	
	to be paid by the apprount	
5.9	Prior approval of the NHAI shall be	Enclosed
3.5	obtained before undertaking any	
	work of installation, shifting or	
	repairs or alterations to the showing	
	Gas Pipeline located in the National	
	Highway right-of-ways.	(8)
	A service of the serv	ि । स्थिजना निदेशक W
	1	पारतीय राष्ट्रीय राष्ट्रीय राष्ट्रीय
	1	National Highway Authority of I
		पुरादाबाद /Moradabad
		Degravation

भारतीय राष्ट्रीय राजमार्ग प्राभिकरण National Highway Authority of India मुराबाबाव /Moradabad

5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipeline will be borne by the agency owning the line.	Enclosed
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Enclosed
5.12	Certificate from the applicant in the following format	Enclosed
	 Laying of Gas Pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic. 	
	(ii) for 6 – lanning "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future Six – lanning or any other development."	
6	Who will sign the agreement on behalf of Gas Pipeline agency Power of attorney to sign agreement available or not	Satish Chandra Verma (Assistant General Manager) Torrent Gas Moradabad Ltd.
7	Certificate from the Project Director	
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. – NH-41(58)/68 dated – 31.1.1969, Ministry Circular No. – NH-III/P/66/76 dated – 18/19.11.1976, Ministry Circular No. – NH-RW/NH-III/P/66/76 dated – 11.5.1982, Ministry Circular No. – RW / NH-11037 / 1 / 86 – DOI	Yes
	(ii) dated – 28.7.1993, Ministry Circular No. – RW / NH-11037 / 1 / 86/DOI dated – 19.1.1995, Ministry Circular No. – RW / NH-34066 / 2 / 95 S&R dated – 25.10.1999, Ministry Circular	भारतीय राष्ट्रीय राजमार्ग प्राधिव
	4	National Highway Authority of Ir

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

	No RW / NH-34066 / 7 / 2003 S&R (B) dated - 17.9.2003 and RW/NH-	
	33044/29/2015/S&R(R) – Dated 22nd November, 2016	
7.2	Certificate from PD in the following format	Yes
	(i) "It is certified that any other location of the Gas Pipeline would be extremely difficult and unreasonable costly and the installation of Gas Pipeline within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".	
	 (ii) for 6 – lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning". 	
8	If NH section proposed to be taken up by NHAI on BOT basis – a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of lay cable / duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [section from Km to Km of NH No – on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."	Enclosed
9	Who will supervise the work of laying of Gas Pipeline	Torrent Gas Moradabad Ltd.
10	Who will ensure that the defects in road portion after laying of Gas Pipeline are corrected and if not corrected then what action will be taken.	NHAI () अरंथोजना निदेशक () एट्टा Dire

11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	Torrent Gas Moradabad Ltd.
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	
13	If any previous approval is accorded for laying of underground Gas Pipeline then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	

For Torrent Gas Moradabad Ltd.

Date: 18/09/2020 Place: Moradabad

Satish Chandra Verma Assistant General Manager

पारेघोजना निदेशका Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India भुरावाबाव /Moraclabad



