



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India (Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय,ओडिशा /Regional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार भुवनेश्वर - 751013, ओडिशा

301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar Bhubaneswar- 751013, Odisha

NHAI/13011/54//RO/OD/ 1174 /2019

ई-मेल /e-mail : roodisha@nhai.org

वेबसाईट/Website : http://www.nhai.org

दूरभाष/Tel.

फैक्स/Fax

03.06.2019

: +91-674-2361570/670

ronhaiodisha@gmail.com

: +91-674-2361770

To

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Proposal for laying of water pipeline crossing at Ch.83.800, Kharagprasad, Dhenkanal on NH55--Reg

Sir,

Please find enclosed herewith a proposal for seeking NOC for laying of 800 mm dia MS water pipeline crossing the subject stretch of the project at chainage Ch.83.800 of NH-55 (Old NH-42) at Kharagprasad, Near Meramandali Railway station, Dist- Dhenkanal.

Accordingly, as per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

Yours faithfully,

Manager (Tech)





भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India (Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय,ओडिशा /Regional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट नं जे/7, जयदेव विहार भुवनेश्वर - 751013, ओडिशा

301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar Bhubaneswar- 751013, Odisha

NHAI/13011/54//RO/OD/ 1/73 /2019

03.06.2019

: +91-674-2361570/670

ronhaiodisha@gmail.com

: +91-674-2361770

ई-मेल /e-mail : roodisha@nhai.org

चेबसाईट/Website : http://www.nhai.org

दूरभाष/Tel.

फैक्स/Fax

INVITATION OF PUBLIC COMMENTS

Proposal for laying of water pipeline crossing at Ch.83.800, Kharagprasad, Sub: Dhenkanal on NH55--Reg

M/s Nava Bharat Ventures Ltd., Dhenkanal has submitted a proposal for NOC laying of 800 mm dia MS water pipeline crossing the subject stretch of the project at chainage Ch.83.800 of NH-55 (Old NH-42) at Kharagprasad, Near Meramandali Railway station, Dist- Dhenkanal.

- As per guidelines issued by MoRTH vide F, No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address:

The Regional Officer, National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha e-mail: roodisha@nhai.org

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013

CHECK - LIST

Guidelines for Project Directors for processing the proposal for laying of water Pipe Line in the land along National Highways vested with NHA1.

- Relevant Circulars
- 1. Ministry Circular No. NH-41(58)/68 dated 31.1.1969
- 2. Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 3. Ministry Circular No. RW/NH-III/P/66/76 dated 11.05.1982
- 4. Ministry Circular No. RW/NH-11037/1/66-DOI(ii) dated 28.07.1993
- 5. Ministry Circular No. RW/NH-11037/1/86-DOI dated 19.01.1995
- Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
- 7. Ministry Circular No. RW/NH-34066/7/2003 S&R(B) dated 17.09.2003

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha)

Checklist for getting approval for laying of waste water supply pipe line on NH land.

SI. S	Item	Information/Status	Remarks
1	General Information	Permission for laying 800mm dia water pipeline across National Highway- 55 (Old NH-42) (Crossing Km- 83/800)	
1.1	Name and address of the applicant/agency	Yacshobanta Pattanaik (Vice President-Odisha Works) Nava Bharat Ventures Limited.	
		Kharagprasad, Near Meramandali RLY. Station, DistDhenkanal, Odisha-759121	
1.2	National Highway Number	NH-55 (Old NH-42)	
1.3	State	Odisha	
1.4	Location	Dhenkanal	
1.5	(Chainage in Km.)	(Crossing Km-83/800)	
1.6	Length in Meters.		
1.7	Width of available Row	60M	
	 (a) Left side from centre line towards increasing chainage/km. direction 	30m	
	(b) Right side from centre line towards increasing chainage/km. direction	30m	= =
1.8	Proposal to lay underground water supply pipeline		
	(a) Left side from center line towards increasing chainage/km direction. (b) Right side from center line towards increasing chainage/km direction.	Only crossings	
1.9	Proposal to acquire land		
	(a) Left side from centre line.	NA	
	(b) Right side from centre line.	NA	
1.10	Whether proposal is in the same side where land is not to be acquired	Right to use of NH ROW as per P& MP Act is required for laying water pipeline along the NH ROW	
	If not then where to lay the water pipe line.	N/A	200
1.11	Details of already laid services, if any, along the proposed route		
1.12	Number of lanes (2/4/6/8 lanes)existing	2	
1.13	Proposed number of lanes(2 lane with paved shoulders/4/6/8 lanes)	4	
1.14	Service road existing or not	NA	
	If yes then which side	NA	N

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharaoprasad, Dhenkanal (Odisha) चरीयोजना निर्देशक PROJECT DIRECTOR भारतीय राज्याग प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाल/P.L.U.,Dhenkanal

de from center line ce road le from center line sal to lay Water pipe line rvice road or between the d main carriageway m for laying of water le shall be considered for ion based on the Ministry ioned as above sewage/gas pipelines on les shall not be permitted as pipes can accelerate the orrosion or may cause mus, being much more leakage of water. Vater pipe lines on bridges discouraged. However if ipply authorities seem to re viable alternative and dighway Authority well in	NA No proposal NA NA NA Agreed Agreed	
de from centerline de from center line sal to lay Water pipe line rvice road or between the d main carriageway on for laying of water ne shall be considered for ion based on the Ministry ioned as above sewage/gas pipelines on ses shall not be permitted as pipes can accelerate the orrosion or may cause nus, being much more leakage of water. vater pipe lines on bridges discouraged. However if ipply authorities seem to re viable alternative and dighway Authority well in	NA NA NA Agreed	
ide from center line sal to lay Water pipe line rvice road or between the d main carriageway in for laying of water ne shall be considered for ion based on the Ministry ioned as above sewage/gas pipelines on ses shall not be permitted as pipes can accelerate the orrosion or may cause nus, being much more leakage of water. vater pipe lines on bridges discouraged. However if ipply authorities seem to er viable alternative and dighway Authority well in	NA Agreed Agreed	
ide from center line sal to lay Water pipe line rvice road or between the d main carriageway in for laying of water ne shall be considered for ion based on the Ministry ioned as above sewage/gas pipelines on ses shall not be permitted as pipes can accelerate the orrosion or may cause nus, being much more leakage of water. vater pipe lines on bridges discouraged. However if ipply authorities seem to er viable alternative and dighway Authority well in	Agreed Agreed	
sal to lay Water pipe line rvice road or between the d main carriageway in for laying of water ne shall be considered for ion based on the Ministry ioned as above sewage/gas pipelines on ses shall not be permitted as pipes can accelerate the orrosion or may cause nus, being much more leakage of water. vater pipe lines on bridges discouraged. However if ipply authorities seem to re viable alternative and dighway Authority well in	Agreed Agreed	
sewage/gas pipelines on es shall not be permitted as pipes can accelerate the orrosion or may cause mus, being much more leakage of water. Vater pipe lines on bridges discouraged. However if apply authorities seem to be viable alternative and dighway Authority well in	Agreed	
es shall not be permitted as pipes can accelerate the orrosion or may cause hus, being much more leakage of water. Vater pipe lines on bridges discouraged. However if apply authorities seem to be viable alternative and dighway Authority well in	*	
vater pipe lines on bridges discouraged. However if apply authorities seem to be viable alternative and Highway Authority well in	Agreed	
space around the of the bridge remains		
as well as that of the perstructure shall be borne	**************************************	
ly on the parapet/any part Safety of the bridges has n view while permitting es along bridge. Approvals rded in this regard with the of the Ministry's project	Agreed	
	in the final arrangement e space around the of the bridge remains aspection and repairs etc. uired extension of the as well as that of the perstructure shall be borne in-charge of the utilities.	in the final arrangement e space around the of the bridge remains aspection and repairs etc. uired extension of the as well as that of the perstructure shall be borne in-charge of the utilities. e not being allowed ly on the parapet/any part Safety of the bridges has n view while permitting es along bridge. Approvals reded in this regard with the of the Ministry's project



YASHOSANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha) षरीयोजना निदेशक PROJECT DIRECTOR भारतीय राज्टीच राजमागं प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाल/P.I.U.,Dhenkanal

1.18	If crossing of the road involved. If yes, it shall be either encased in pipes or through structure of conduits specially built for that purpose at the expenses of the agency owning the line.	Yes, (Crossing Km-83/800 Latest technology of HDD method shall be adopted for laying along the National Highway, wherein a minimum depth of 3 from the road level	
(a)	Existing drainage structures shall not be allowed to carry the lines.	shall be maintained. No drainage structure involved in crossing of water supply pipeline.	***************************************
(b)	Is it on a line normal to NH	Yes	
(c)	Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures?	Agreed	
(d)	The casing pipe(or conduit pipe in the case of waste water pipe line) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Agreed	
(e)	Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Agreed	
(f)	The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope in the fills.	Agreed	
(g)	The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 mtr below the drain inverts.	Agreed	
(h)	Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Agreed	
(i)	The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Agreed	
2	Document / Drawings enclosed with proposal	Enclosed	
2.1	Cross section showing the size of trench for open trenching method.(Is it normal size of 1.2m deep X0.3m wide).	Yes	120 1 121



षरीयोजना निदेशक PROJECT DIRECTOR भारतीय राष्ट्रीय राजमार्ग प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाल्/P.I.U.,Dhenkanal

(i)	Should not be greater than 60cm. Wider than the outer diameter of the pipe.	Yes	
(ii)	Located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.	Yes	
(iii)	Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges.	Yes	
(iv)	These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Yes	
2.2	Cross section showing the size of the pit and location of waste water pipeline for HDD method	Incorporated in the drawing	
2.3	Strip plan / Route plan showing waste water pipe line, chainage, width of ROW, distance of proposed pipe line form the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of proposed water pipe line.	Enclosed	
2.4.1	Open trenching method (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type). If yes, Methodology of refilling of trench.	NA	
(a)	The trench width should be at least 30 cm, but not more that 60 cm wider than the outer diameter of the pipe.	Agreed	
(b)	For filling of the trench, bedding shall be to a depth of not less than 30cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing valve. Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed	
(c)	The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed	
(d)	The side fill shall consist of granular material laid in 15cm layers each consolidated by mechanical tampering and controlled addition of moisture to	Agreed	No. 1



YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanai (Odisha) षरीयोजना निर्देशक PROJECT DIRECTOR भारतीय राष्ट्रीय राजमार्ग प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाला/P.I.U.,Dhenkanal

	95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.		
(e)	The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Agreed	
(f)	The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Agreed	
(g)	If required, a diversion shall be constructed at the expenses of agency owning the utility line.	Agreed	
2.4.2	Horizontal Directional Drilling(HDD) Method	Methodology attached	
2.4.3	Laying of water supply pipe line through CD works and method of laying	Enclosed	
(a)	On approaches, the waste water mains/cables shall be carried along a line as close to the edge of the right-of-way as possible up to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guidelines issued with letter No. NH-HI/P/66/76 dated 19.11.1976.	Agreed	
3	Draft License Agreement signed by two witness	Enclosed	
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs.50/per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables/ducts by proper filling and compaction, cleaning debris / loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth.	To be submitted as and when intimated by NHAI	
4.1	Performance BG as per above is to be obtained.	To be submitted as and when intimated by NHAI	

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha) षरीयोजना निवेशक PROJECT DIRECTOR भारतीय राष्ट्रीय राजमार्ग ग्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाल/P.L.U., Dhenkanal

4.2	Confirmation of BG has been obtained as per NHAI guidelines	Yes	
5	Affidavit/Undertaking from the applicant for	Yes	
5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Enclosed	
5.2	Renewal of Bank Guarantee.	Enclosed	
5.3	Confirming all standard condition of NHAI's guidelines.	Enclosed	
5.4	Shifting of Water pipe line as and when required by NHAI at their own cost.	Enclosed	
5.5	Shifting due to 6 laning/widening of NH.	Enclosed	
5.6	Indemnity against all damages and claims clause(24).	Enclosed	
5.7	Traffic movement during laying of water pipeline to be managed by the applicant.	Enclosed	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant.	Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing water supply pipe line located in the National Highway right of ways.	Enclosed	
5.10	Expenditure, if any incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the waste water pipe line will be borne by the agency owning the line.	Enclosed	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it shall be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time(not exceeding 60days) of	Enclosed	
20000	the intimation given.	Professed	
5.12	Certificate from the applicant in the following format (i) Laying of water pipe line will not have any deleterious effects on any of the bridge	Enclosed	
	components and roadway		h 1

Her

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha) षरीयोजना निदेशक PROJECT DIRECTOR भारतीय राज्टीय राजमार्ग प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानालाृश्रा.U.,Dhenkanal

	safety for traffic. (ii) For 6-laning" We do undertake that we will relocate service roads/approach road/utilities at our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-laning or any other development".	Yashobanta Pattanaik	
6	Who will sign the agreement on behalf of water pipe line agency		
7	Certificate from the Project Director	Shall be enclosed	
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. 1. Ministry Circular No. NH- 41(58)/68 dated 31.1.1969 2. Ministry Circular No. NH- III/P/66/76 dated 18/19.11.1976 3. Ministry Circular No. R W/NH- III/P/66/76 dated 11.05.1982 4. Ministry Circular No. R W/NH- 11037/1/86-DOI(ii) dated 28.07.1993 5. Ministry Circular No. R W/NH- 11037/1/86-DOI dated 19.01.1995 6. Ministry Circular No. R W/NH- 34066/2/95/S&R dated 25.10.1999 7. Ministry Circular No. R W/NH- 34066/7/2003 S&R(B) dated 17.09.2003	Shall be enclosed	
7.2	Certificate from PD in the following format (i) It is certified that any other location of the waste Water Pipe line would be extremely difficult and unreasonable costly and the installation of Water Supply pipe line within ROW will not adversely affect the design, stability and	Shall be enclosed	

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha)

परीबाजना निवंशक PROJECT DIRECTOR भारतीय राज्येय राजमार्ग प्रीधिकरण National Highways Authority of India प.का.इ.,ढॅकानाल/P.L.U.,Dhenkanal

	traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc." (ii) For 6-laning (a) Where feasible is available" I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location."		
	(b) In case feasibility report is not available, " I do certify that sufficient ROW is available at site for accommodating proposed six-laning."		
8	If NH section proposed to be taken up by NHAI on BOT basis –a clause is to be inserted in the agreement. "the permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [Yes, inserted in the agreement	
9	Who will supervise the work of laying of waste water pipe line	Nava Bharat Ventures Ltd.	
10	Who will ensure that the defects in road portion after laying of water pipe line are corrected and if not corrected then what action will be taken.	Nava Bharat Ventures Ltd.	
11	Who will pay the claims for damages done/disruption in working of concessionaire if asked by the concessionaire.		

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha) परीयोजना निदेशक PROJECT DIRECTOR भारतीय राज्यीय राजमागें प्रीधिकरण National Highways Authority of India प.का.इ.,ढेंकानाल/P.I.U.,Dhenkanal

12	A certificate from Project Director that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy	Shall be enclosed	
13	enclosed). If any previous approval is accorded for laying of underground water supply pipe line that photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	Shall be enclosed	

Light

YASHOBANTA PATTANAIK Vice President-Odisha Works NAVA BHARAT VENTURES LIMITED Kharagprasad, Dhenkanal (Odisha) परीयोजना निदेशक PROJECT DIRECTOR भारतीय राज्यीय राजमार्गे प्रीधिकरण National Highways Authority of India प.का.इ.,हॅकानाल/P.I.U., Dhenkanal