

No. RO/MUM/Laying Utility/MAH/2020-21/P-41/3753.

Office of the Chief Engineer

Government of India,

Ministry of Road Transport & Highways

(Regional Office, Maharashtra, Goa)

Room No. 508 & 509, Konkan Bhavan, 5th Floor, Sector-6, C.B.D, Belapur, Navi Mumbai- 400614

<u>Tel:-</u> 022-27562370, 27562369, Email:- <u>romum-morth@gov.in</u>; <u>romorthmumbai@gmail.com</u>

Date: 25.05.2022.

INVITATION OF PUBLIC COMMENTS

Subject: - Proposal for permission to laying Steel Gas Pipeline along NH-65 Pune - Solapur Road from Balaji CNG sation Km, 10/100 to Shivaji Service station Manjari Km, 10/750 in LHS Taluka Haveli Dist; Pune, in the state of Maharashtra. Applicant: M/s GA, Maharashtra Natural Gas Ltd, A-Block, Plot No.27, Narveer Tanajiwadi, PMPML Commercial Building Shivajinagar Pune-411005. - reg.

Please refer to Superintending Engineer NHC, Pune, vide letter No. SENHC /Pune / DB/1049/2021. dated.09.05.2022. has submitted proposal for permission to laying Steel Gas Pipeline along NH-65 Pune - Solapur Road from Balaji CNG sation Km, 10/100 to Shivaji Service station Manjari Km, 10/750 in LHS Taluka Haveli Dist; Pune, in the state of Maharashtra sought NOC.

- 2. As per guideline issued by Ministry vide letter no. RW/NH-33044/29/2015/S&R(R), dated 22.11.2016 according to which for cases, Highway Administrator will make in Ministry website the complete application for public comments and comments will be invited within 30 days from the day of uploading.
- 3. In view of above, the comments of the public on the above proposal is invited to this office. The detailed proposal submitted by applicant is online available at www.morth.nic.in.

Yours faithfully,

Encl: As above.

(Prakash S. Ambhore)
Sr, Technical Assistant
For CE- RO, MoRTH, Mumbai.
25.05.2022.

Copy to:

- 1) Senior Technical Director, NIC Transport Bhawan MoRTH, New Delhi For uploading on Ministry's website.
- 2) The Superintending Engineer (NH) Circle, Pune for information.



Government of Maharashtra

National Highway Circle, Pune.

Phone No. 020-26331313/14.

E mail: nhpune.se@mahapwd.com

Superintending Engineer National Highway Circle, Pune 3rd Floor, Arsenal Flat Compound, Opp. Hotel Sagar Plaza, Camp,

Pune - 411 001.

No. SE/NHC/Pune/DB / 1049 /2021

Date- 09 /05/2022

Chief Engineer & Regional Officer Ministry of Road Transport and Highways, Kokan Bavan, Navi Mumbai-400614

Sub:- Permission to lay Steel Gas Pipeline along NH-65 Pune-Solapur road from Balaji CNG station km.10/100 to Shivaji service station Manjari km.10/750 in LHS Tal-Haveli Dist-Pune in the state of Maharashtra.

(Total Length- 650M)

Ref:- 1.MoRT&H Letter No. RW/NH-33044/29/2015/S& R(R) Dated 22.11.2016.

- 2.Secretary, N.H.Public Works Department, Kokan Bhavan Navi Mumbai letter No Sec (NH)P-5/704/2021 Date 25.02.2021
- 3. DGM P&P Maharashtra Natural Gas Pune letter Dt-22.03.2022.
- 4.Executive Engineer, NH Division, Pune letter no.845/2022 dated 18.04.2022.

Sir,

The Proposal for laying Steel Gas Pipeline of M/s. Maharashtra Natural Gas Ltd, Pune on Pune - Solapur road NH-65 from Balaji CNG station km.10/100 to Shivaji service station Manjari km.10/750 in LHS Total Length- 650mtr Tal-Haveli Dist-Pune in the state of Maharashtra has been submitted by Executive Engineer, NH Division, Pune vide letter under reference. The same has been examined as per guidelines issued by MoRT&H vide is letter No. RW/NH-33044/29/2015/S& R(R) Dated 22.11.2016. In this regard Executive Engineer, NH Division, Pune has proposed following various charges for approval of laying of Steel Gas Pipeline. The Proposal may be approved subjected to the following conditions.

2. M/s. Maharashtra Natural Gas Ltd, Pune have to pay the following mentioned charges by way of D.D./ Cash to the respective Agency as mentioned in following Table.

ans,

Secretary of the second

Sr.No.	z ar ciculais	Amount (Rs.)	By way of	
1.	Restoration Charges	1,62,500/-	By way of Bank Guarantee	In favour of EE, NHD Pune
2.	Reinstate Charges	Nil/-	Demand Draft	EE, NHD Pune
3.	One Time License Fee (for 5 Years)			Bharat Kosh
4.	G.S.T. Charges (18%)	5,98,909/-	Cash or D.D.	GST Dept.

- 3. The Steel Gas Pipeline shall be laid at the extreme edge of ROW, as shown in the Route map. The ROW for the proposed four lane / six lane carriageway shall be got confirmed from Executive Engineer, National Highway Division. Pune.
- 4. This proposal would be valid for only 5 years at a time, which can thereafter will considered for renewal on payment of additional fee at the time of renewal.
- 5. The depth of trench for laying Steel Gas Pipeline shall be at least 1.20m from the ground level and Steel Gas Pipeline route-markers shall be installed above the trench after the work completion to identify to avoid accident in the future.
- 6. The permission is granted on the condition that the applicant shall ensure safety of any other utility services of any other Authority.
- 7. Executive Engineer, should ensure that, if the conditions of the agreement are violated, the action as per Ministry Circular for revoking the permission should be taken.
- 8. The applicant shall indemnify the damages, if any, caused on account of proposed Steel Gas Pipeline laying, to the road project.
- 9. All the instructions contained in MoRT&H letter No.RW/NH-33044/29/ 2015/ S&R(R) Dated 22.11.2016 should be scrupulously followed.
- 10. A register of records of the permissions accorded has to be maintained by the Executive Engineer in the prescribed Performa (copy enclosed) issued vide MORT&H letter No.RW/NH-33044/29/2015/S& R(R) Dated 22.11.2016.
- 11. If the Steel Gas Pipeline is to be laid over the structure, it should be laid on the outer face of the kerb with special clamping arrangement and ceasing fixed to the RCC parapet of the structure.
- 12. The permission is granted on the condition that the applicant shall ensure safety of any other utility services of any other Authority.

The rights to lay the Steel Gas Pipeline along the subjected route have been 13. granted by the D I T no. But DIT is not available

Executive Engineer should unsure that, if any conditions of the agreement are 14. violated the action as per Ministry's circular for working the permission should be taken immediately.

The Executive Engineer National Highway Division, Pune shall execute on behalf 15. of Secretary (National Highways) an agreement for laying of Steel Gas Pipeline of M/s.

Maharashtra Natural Gas Ltd, Pune in corporating the condition mentioned above.

Executive Engineer should ensure that, if any conditions of the agreement are 16. violated then action as per/ Ministry's circular for revoking the permission should be taken

immediately.

If the Executive Engineer National Highway Division, Pune considers it necessary 17.

in future to move the Steel Gas Pipeline for any works of improvement or repairs to the

road, it will be carried out as desired by the Highway Authority at the cost of the agency

owning+ the cable line/ Steel Gas Pipeline within reasonable time.

A Steel Gas Pipeline shall not be brought into use by the M/s. Maharashtra Natural 18.

Gas Ltd, Pune Agency unless completion certificate to the effect that the laying of Steel

Gas Pipeline has been laid in accordance with the approved specification and drawings

and the trenches have been made good to the satisfaction of the Executive Engineer.

The crossing by Horizontal Drilling Method shall be strictly as per the guidelines 19.

given in the MoRT&H circular dated 19.11.1976 without disturbing the ROW.

20. NHAI, Pune letter in mentioned terms and conditions are binding on the applicant.

(Ref-3)

21. Utility services shall be made operational by the Licensee only after completion

certification is issued by Executive Engineer National Highway Division, Pune that the

laying of Steel Gas Pipeline has been carried out in compliance to the provisions approved

by the Ministry and submission of built-in drawing.

Submitted for approval please.

D.A.- As Above

Superintending Engineer National Highway Circle Pune

Copy to: Executive Engineer, N.H .Division, Pune for Information & necessary action.

कार्यकारी अभियंता यांचे कार्यालय, राष्ट्रीय महामार्ग विभाग पुणे ,

महाराष्ट्र शासन, सार्वजनिक बांधकाम विभाग, बांधकाम भवन, कॅम्प, पुणे- १.

दूरध्वनी क्र.-०२०-२६३६१३२७

जा.क्र. रामवि(पुणे/ रेशा ./ ८ ५५ /२०२२

वेबसाईट : www.mahapwd.com

दिनांक:- 🚶 / ०४/२०२२

ई-मेल : nhpune.ee@mahapwd.com

प्रति, मा.अधीक्षक अभियंत्रा, १ है APR २०२२ राष्ट्रीय महामार्ग मंडळ

भ. अ. राष्ट्रीय क्षित्राणी मंडळ, पणे-०१ अ.अ. सहा.अ.अ. सहा.अ.अ. अधीराक प्रति. अग्रव क्षेत्रक १९१४ वर्गीकरण २०००

रिषय:- Permission to Lay Steel Gass Pipe Line along NH -६५ Pune Solapur road From Balaji CNG Station (CH Km. १०/१००) to Shivaji Service Stion, Manjari (CH- Km. १०/७५०) in LHS, Taluka- Haveli, District- Pune in the State of Maharashtra (Total Length ०.६५० Km. approx)

संदर्भ - १. DGM - P & P, महाराष्ट्र नॅचरल गॅस लि ', पुणे यांचा दि. १२.८.२०२१रोजीचा अर्ज

२. उप अभियंता, राष्ट्रीय महामार्ग उपविभाग, पुणे यांचे पत्र जा.क्र.३८/२०२२ दि. २७.०१/२०२२

३. DGM - P & P, महाराष्ट्र नॅचरल गॅस लि ', पुणे यांचेकडील दिनांक २२.०३.२०२२

उपराक्त विषयान्वये व संदर्भिय पत्र क्र.१ व २ यास अनुसरून, पुणे सोलापूर रस्ता राष्ट्रीय महामार्ग क्र.65 कि.मी. 10/100 ते 10/750 मधील बालाजी सीएनजी सर्व्हिंस स्टेशन ते शिवाजी सर्व्हिंस स्टेशन मांजरी या ठिकाणी MORT&H,IAHE शासन परिपत्रक क्र.RW/NH-३३०४४/२९/२०१५/S&R(R) दि.22/11/2016 नुसार प्रसताव तयार करण्यात आला आहे.

त्याअनुषंगाने DGM - P & P, महाराष्ट्र नॅचरल गॅस लि ', पुणे यांनी दि.२२.०३.२०२२ रोजी वन टाईम लायसन्स फी, रु. ३३२७२७०/- इतकी रक्कम Bharatkosh. gov. in पोर्टलवर भरणा केले आहे. व दि. १७.०३.२०२२ रोजी सुरक्षा अनामत बँक गॅरेंटी रु. १६२५००/-- एक वर्ष मुदतीचे व जीएसटी फी रु. ५९८९०९/- विभागीय कार्यालयात संदर्भिय पत्र क्र. ३ अन्वये जमा करण्यात आले आहे. त्याअनुषंगाने सदर पाईप लाईन टाकण्यास खालील अटींवर शिफारस करण्यात येते आहे.

अटी व शर्ती

१. विषयांकित प्रस्तावित भूमिगत गॅस पाईपलाईन हि रस्त्याच्या कडेने(Along) रस्त्याच्या मध्यरेषेपासून १७ मी. अंतरावर रस्त्याचे हद्दीत किंवा जेथे प्रत्यक्ष रस्त्याची शासकीय हद्द कमी अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दीत रस्ता हद्दीला खेटून, त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून (Ground Level) १.२० मी.पेक्षा जास्त खोलीवर टाकणेत यावी. प्रस्तावित गॅस पाईपलाईन ही अस्तित्वातील रस्त्यावरील मोऱ्या, लहान पूल व मोठे पूल यांचेवरुन किंवा त्यांचे लगत टाकू नये. तसेच आवश्यक त्या ठिकाणी याकरीता पूर्व परवानगी घेणे बंधनकारक आहे.

- २. गॅस पाईपलाईन खोदाई चे काम टप्याटप्याने पुर्ण करण्यात यावे. ५०० मीटर अंतरापर्यंत खोदाई पुर्ण झाल्यावर गॅस पाईपलाईन टाकून व खोदाई बुजवून त्यावर दबाई करून रस्ता पुर्ववत करावा. सदरील काम करताना वाहतूक सुरक्षीततेच्या दृष्टीने खोदाई सुरू करण्यापुर्वी पुर्ण ५०० मीटर लांबीत बॅरिकेड्स व सुचना फलक उभारण्यात यावेत व या लांबीतील काम पूर्ण झाल्यानंतर ते उचलून पुढील लांबीत उभारून मग पुढील लांबीतील काम सुरू करण्यात यावे
- ३. प्रस्तावित काम सुरु करणेपूर्वी या कार्यालयास व उप अभियंता, रा.म. उपविभाग , पुणे यांना लेखी कळिवणेत यावे तसेच त्यांचे मार्गदर्शनाखाली,देखरेखीखाली व सुचनांनुसार विषयाधीन प्रस्तावित गॅस पाईपलाईन टाकण्यात यावी. कंपनीस परस्पर रस्ता खोदाई सुरू करता येणार नाही.
- ४. खोदकाम करतांना जिमनीवरील तसेच भूमीगत अस्तित्वात असलेल्या इलेक्ट्रीक केबल्स/टेलीफोन केबल्स/ओएफसी केबल्स, पाण्याच्या पाईप लाईन्स ,ड्रेनेज लाईन्स इत्यादी सुविधांना कोणत्याही प्रकारची इजा/हानी होऊ नये याची दक्षता घेणेत यावी. तसे झाल्यास त्याची सर्व जबाबदारी अनुज्ञप्ती धारक कंपनीवर राहिल.
- ५. खोदकाम चालु असतांना शासकीय मालमत्ता, रस्त्याची गटर्स व वृक्षांचे कोणत्याही प्रकारचे नुकसान होऊ नये. तसेच अपघात होऊ नयेत याची दक्षता घेणेत यावी. तसे घडल्यास त्यांची सर्व जबाबदारी अनुज्ञप्तीधारक कंपनीची राहील.शासकीय मालमत्तेचे नुकसान झाल्यास त्याची नुकसानभरपाई प्रस्तावधारक कंपनीने शासनास देणे बंधनकारक राहील.
- ६. विषयाधीन भूमिगत गॅस पाईपलाईन पुर्णपणे सुरक्षित असावी, जेणेकरुन भविष्य काळात जीवीत व वित्तहानी होऊ नये. त्याची संपुर्ण जबाबदारी अनुज्ञप्तीधारक कंपनी वर राहिल. विषयाधीन भूमिगत गॅस पाईपलाईन मुळे अपघात झाल्यास त्याची जबाबदारी प्रस्तावधारक कंपनीवर राहील. तसेच भूमीगत गॅस पाईपलाईनची देखभाल व दुरूस्तीची जबाबदारी अनुज्ञप्तीधारक कंपनीची ची राहिल तसेच सदर नियमित देखभाल व दुरुस्ती त्यांनी स्वखर्चाने करणे बंधनकारक आहे.
- ७. रस्ता रंदीकरणाच्या वेळी रंदीकरणाच्या वाढीव हद्दीपिलकडे या विभागाने विभागाने दिलेल्या सूचनांप्रमाणे कंपनीस गॅस पाईपलाईन स्वखर्चाने हलवावी लागेल. आगाऊ तीस दिवसांची नोटीस दिली जाईल. नोटीस दिल्यानंतर तीस दिवसांच्या आत ही गॅस पाईपलाईन काढून न टाकल्यास या कार्यालयाकडून गॅस पाईपलाईन काढून टाकण्यात येईल. अथवा रस्ता रंदीकरणाचे काम सुरु करण्यात येईल. अनुज्ञप्ती धारक कंपनीस निवन पाईपलाईन रस्त्याच्या वाढीव हद्दीपिलकडे या विभागाची पूर्व परवानगीने स्वखर्चाने टाकावी लागेल. याबाबत कोणतीही नुकसान भरपाई विरिलपैकी कोणत्याही अभिकरणाकडून मागता येणार नाही अथवा सदर बाबत कोणत्याही प्रकारचा दावा न्यायालयात दाखल करता येणार नाही.
- ८. उपरोक्त अट क्र.७ मध्ये नमुद एक महिन्याच्या नोटीसीचा कालावधी संपताच अर्जदारांनी पाईप लाईन न काढल्यास कार्यकारी अभियंता, रा.म. विभाग यांना सदरची प्रस्तावित भुमीगत गॅस पाईपलाईन काढुन टाकण्याचा अधिकार राहिल आणि त्या कामाकरीता येणारा खर्च, सबंधीत प्रस्तावधारक कंपनीने सार्वजनिक बांधकाम खात्यास दयावा लागेल.
- १. गॅस पाईप लाईन रस्ता ओलांडून टाकताना (Road Crossing) रस्त्याच्या मध्यापासून कमीत कमी १७.०० मीटर अंतरापासून रस्त्याच्या डांबरी पृष्ठभागाखालून कमीत कमी १.२० मीटर खोलीवर बोअर घेऊन (HDD पध्दतीने) २०० मि.मी. व्यासाच्या गॅस पाईप लाईनसाठी ६०० मि.मी. व्यासाचा केसिंग पाईप टाकून त्यातून गॅस पाईपलाईन नेण्यात यावी. केसिंग पाईपचा Top रस्त्याच्या पृष्ठभागापासून (R.T.L) कमीत कमी १.२० मीटर खोलीवर येईल

या प्रमाणे खोदाई करावी. परंतू ज्या ठिकाणी Horizontal Drilling शक्य नाही अशा ठिकाणी खोदाई करून प्रथम केसिंग पाईप टाकून त्यामधुन गॅस पाईपलाईन टाकण्यात यावी.

- १०. खोदकाम चालु असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अनुज्ञप्ती धारक कंपनीने संबंधित सक्षम प्राधिकरण (वन परिक्षेत्र अधिकारी, वन अधिकारी, स्थानिक प्राधिकरण) यांची पूर्व परवानगी मिळवावी. तसेच संबंधीत वन अधिकारी व वनपरिक्षेत्र अधिकारी यांचेकडून तोडल्या जाणा-या झाडांचे मूल्यांकन करून झाडांचे मूल्य शासनाकडे जमा करावे, व संबंधीत प्राधिकरणाच्या सुचनेनुसार पर्यावरणाचा समातोल राखण्यासाठी तोडाव्या लागणा-या झाडांच्या संख्येनुसार नवीन वृक्षांची लागवड व संगोपन करावे. तसेच वन जिमनीतून रस्ता जात असल्यास गॅस पाईपलाईन खोदाईसाठी वन विभागाची परवानगी घेतल्याशिवाय खोदाईस सुरूवात करू नये.
- ११. महाराष्ट्र सरकार व केंद्रीय जल भुतल परिवहन मंत्रालयाने निवन नियम, अटी व शर्ती प्रस्तुत केल्यास त्या अभिकर्ता कंपनीस बंधनकारक राहतील.
- १२. रस्त्याखालून गॅस पाईपलाईन टाकण्याचे कामास सुरूवात करणेपूर्वी कामाच्या ठिकाणापासून दोन्ही दिशेला १०० मीटर अंतरावर सावधानतेच्या इशा-याचे फलक रिफलेक्टीव स्ट्रीपचा वापर करून लावण्यात यावेत. तसेच रात्रीच्या वेळी काम सुरू अथवा अपूर्ण राहिल्यास माहितगार तंत्रज्ञांसह रात्रभर तेवत राहणारा लाल प्रकाश झोताचा दिवा लावण्याची वा तत्सम व्यवस्था कंपनीने करावी.
- १३. रस्त्याचा पृष्ठभाग गॅस पाईपलाईन टाकणेसाठी खोदला असता मोकळा होउून पोकळी निर्माण झालेल्या ठिकाणी गॅस पाईपलाईन व्यतिरिक्त इतर सर्व भागामध्ये संबंधित कंपनीने स्वखर्चाने सिमेंट क्रॉक्रीट अथवा तत्सम समांतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवायची आहे. तसेच गॅस पाईपलाईन टाकणेचे काम पुर्ण झाल्यानंतर कामाच्या ठिकाणी रा.म..खात्याच्या मालकीच्या जागेत संबंधित कंपनीच्या मालकीचे किंवा त्यांच्या संबंधित ठेकेदारांच्या मालकीचे कोणतेही अतिरीक्त साहित्य,मशिनरी,राडारोडा अथवा शेड राहणार नाही याची दक्षता सदर कंपनीने घ्यावी. या बाबत कार्यकारी अभियंता, रा.म. विभाग किंवा त्यांचे प्रतिनिधी यांचे संपूर्णत: समाधान होईल अशाप्रकारे पुर्ववत दुरूस्ती करून रस्ता पूर्ववत करून द्यावा लागेल.
- १४. प्रस्तावात नमूद केलेल्या लांबीव्यतिरिक्त इतर काही वाढीव काम करावयाचे झाल्यास या विभागाची पुर्व परवानगी घेणे कंपनीस बंधनकारक आहे.प्रस्तावासोबतचे नकाशात दाखविलेले मार्गा नुसारच काम करावे.
- १५. कंपनीच्या मालमत्तेचे हानीपासून संरक्षण करण्याची हमी शासन देत नाही.

Y

- १६. सदर काम चालू करण्यापूर्वी संबंधित कंपनीने रस्त्याचा काटछेद नकाशा रस्त्याचा पृष्ठभाग खोदण्यासाठी वापरात येणारी मिशनरी व तिची पध्दत तसेच खोदाईच्या कामासाठी व प्रत्यक्ष काम पूर्ण होण्यासाठी लागणारा कालावधी इत्यादीबाबतचा सविस्तर आराखडा या खात्याच्या सक्षम अधिकारी यांना द्यावा.
- १७. करारातील कोणत्याही शर्तीचे संबंधित कंपनीने पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमीनीखालील गॅस पाईपलाईन काढून टाकण्याची कार्यकारी अभियंता सा.बांरा.म.विभाग यांना मोकळीक असेल, आणि कार्यकारी अभियंता यांचेव्दारे करण्यांत आलेल्या खर्चास संबंधित कंपनी जबाबदार असेल.तो खर्च प्रस्तावधारक/कंपनीने शासनास देणे बंधनकारक राहील.
- १८. सदर रस्त्याच्या लांबीमध्ये शेतकरी, संस्था,व इतरखाजगी कंपनी अथवा इतर खात्याची अथवा इतर कोणाच्या हक्कांची जमीन येत असल्यास गॅस पाईपलाईन टाकण्याकरिता त्यांची स्वतंत्र परवानगी घेणे आवश्यक आहे व त्याच्या सहमतीने गॅस पाईपलाईन टाकण्याचे काम करण्यात यावे.अन्यथा काही तक्रारी उदभवलेस हे कार्यालय जबाबदार राहणार नाही.

- १९. सदर गॅस पाईपलाईन प्रकरणीचे प्रस्तावांतर्गत संबंधितांनी पुरविलेले कागदपत्रे खोटे अगर दिशाभूल करणारी आढळून आल्यास देण्यात येणारी परवानगी तात्काळ रद्द करण्यात येईल. तसेच प्रस्ताव धारक कार्यवाहीस पात्र
- २०. पाईप लाईन टाकण्याच्या रस्ते लांबी मधील सर्व मो-या कॉजवे/ पूल यांच्या संरक्षक कठडयाच्या बाहेरुन पाईप लाईन टाकणे हे संबंधितांवर बंधनकारक राहील. रस्त्याची बाजूपट्टी कर्व्ह अथवा गटर वरुन खोदाई करुन पाईप लाईन टाकणेची नाही. सदर पाईपलाईन प्रत्यक्ष रस्त्यांची शासकीय हद्द अस्तित्त्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लगत रस्ता हद्दीला खेटून पाईप् लाईन टाकण्यात यावे.

२१. अर्जदाराने स्वखर्चाने पाईप लाईनची दुरुस्ती करुन सुस्थितीत ठेवावी. जेणेकरुन जिमनीच्या पृष्ठभागाचे व

शासनाच्या मालमत्तेचे कोणतेही नुकसान होणार नाही याची खबरदारी घ्यावी.

२२. अर्जदाराने रस्त्याच्या हद्यीच्या कडेने वर निर्देश केल्याप्रमाणे पाईप लाईन टाकणेसाठी खोदाई करण्यापूर्वी सदर काम संबंधित उपअभियंता व शाखा अभियंता यांचे मार्गदर्शानाखाली करावे.

२३. वरील सर्व अटी मान्य असल्याबाबतचे रु. ५००/- (रु.पाचशे फक्त) चे स्टॅम्प पेपरवर अंडरटेकींग नोटरीकडे नोंदणी करुन या कार्यालयास सादर करावी.

वरील पैकी कोणत्याही अटींचा भंग झाल्याचे आढळून आल्यास सदरची परवानगी रद्द समजण्यात येईल.

वरील प्रमाणे प्रस्ताव ३ संचामध्ये आपले माहिती व पुढील योग्य त्या कार्यवाहीसाठी सोबत सविनय सादर.

सोबत - प्रस्ताव ३ प्रतीत

कार्यकारी अभियंता राष्ट्रीय महामार्ग विभाग ,पुणे-१

प्रताव र प्रताव प्रताव र प्रताव र प्रताव प्रदर्भ फिलाल प्रदर्भ फिलाल राष्ट्रीय महामार्ग प्रत - उप अभियंता, राष्ट्रीय महामार्ग उपविभाग, पुणे यांना माहितीसाठी व कार्यवाहीसाठी

२/- हे-पत्र म्हणजे अंतीम परवानगी नाही याची नोंद घ्यावी.

प्रत DGM - P & P, महाराष्ट्र नॅचरल गॅस लि.पुणे यांना माहीतीसाठी.

२/- हे पत्र म्हणजे अंतीम परवानगी नाही याची नोंद घ्यावी.

३/- वरील विषयाबाबत रीतसर परवानगी मिळाल्यानंतर पुढील कार्यवाही करणेत यावी.



महाराष्ट्र नॅचरल गॅस लिमिटेड

गेल (इंडिया) लिमिटेड आणि बि.पी.सी.एल. चा संयुक्त उपक्रम

MAHARASHTRA NATURAL GAS LIMITED A JOINT VENTURE OF GAIL (India) Ltd. & BPCL

MNGL/P&P/PRMSN/NH-65/Pune -Solapur/01

Date: 12.10.2021

To. The Executive Engineer, PWD office National Highways Division, Pune-411001

Sub: Permission to lay Steel Gas Pipeline along NH 65 Pune Solapur road From Balaji CNG Station (CH:Km 10/100) to Shivaji Service Station, Manjari (CH:Km 10/750 in LHS) ,Taluka: Haveli Dist: Pune in the state of Maharashtra. (Total length=0.650Km approx.)

Dear Sir.

We thank you for the support extended to us in the noble mission of making Pune pollution free

MNGL is expanding its City Gas Network in Pune city to provide CNG and PNG to cater the increasing demand. As a part of this expansion, we would like to apply for permission to lay Steel Gas Pipeline along NH – 65 Pune-Solapur Road Balaji CNG Station to Shivaji Service Station, Manjari. Taluka:Haveli, Dist:Pune in the state of Maharashtra

In view of the above, we kindly request you to grant us the subject permission at the earliest, enabling MNGL to lay Steel Gas Pipeline along as indicated in the drawing enclosed for your kind

Thanking you,

Yours Trul

S.K. Singh (CGM - P&P)

Encl: a/a

SHATRUNJAY KUMAR SINGH CGM-P&P MAHARASHTRA NATURAL GAS LTD. PUNE

Subject: Laying Steel Gas Pipeline along NH-65. Pune - Solapur road



Name of work: Permission to lay Steel Gas Pipeline along NH-65 Pune-Solapur road from Balaji CNG Station to Shivaji Service Station, Manjari. (CH:KM 10/100 to CH:KM 10/750 in LHS) Tal-Haveli, Dist-Pune. (Approx. 650m)

S.N.	Item	val for laying Underground Steel Ga Replied by Applicant	Replied by D.E.
_	TOWN COMME		
1	Name & address of	M/s Maharashtra Natural Gas Ltd, Plot No.	
	Applicant	27, 'A' Block, 1st Floor, PMPML Commercial Building, Near PMT Bus Depot, Narveer	
		Tanajiwadi, Shivajinagar, Pune-411005, MH	
	9	Tanajiwadi, Shivajinagar, Pune-41 1005, MH	Pune-411005, MH
2	Name of the Road	Permission to lay Steel Gas Pipeline along	Permission to lay Steel Gas Pipeline along
۲	Name of the Road	NH-65 Pune-Solapur road from Balaji CNG	NH-65 Pune-Solapur road from Balaji
- 1		Station to Shivaji Service Station, Manjari.	CNG Station to Shivaji Service Station,
		(CH:KM 10/100 to CH:KM 10/750 in LHS)	Manjari. (CH:KM 10/100 to CH:KM 10/750
		Tal-Haveli, Dist-Pune.(Approx. 650m)	in LHS) Tal-Haveli, Dist-Pune.(Approx.
		· · · · · · · · · · · · · · · · · · ·	650m)
3	Category of the Road	NH65	NH65
U	Width of the		
	Roadway(ROW)	34.00m	34.00m
5	Width of the Road		
		34.00m	34.00m
6	Is the road is in cutting or	In embankment	In embankment
- 1	in embankment		
7	Catagory of utility to be laid	For Under Ground Steel Pipline.	For Under Ground Steel Pipline.
´	Category of utility to be faid	For Order Ground Steel Pipinie.	To order ordered oteer pline.
8	Is the utility to be taken	Along the Road km10/100to km10/750	Along the Road km10/100to km10/750
	along or across road.		
9	Chainage and length in	along NH-65 Pune-Solapur road from Balaji	along NH-65 Pune-Solapur road from
- 1	which the utility is to be	CNG Station to Shivaji Service Station,	Balaji CNG Station to Shivaji Service
- 1	taken along the road? Give	Manjari. (CH:KM 10/100 to CH:KM 10/750 in	Station, Manjari. (CH:KM 10/100 to CH:KM
	further details of LHS /	LHS) Tal-Haveli, Dist-Pune.(Approx. 650m)	10/750 in LHS) Tal-Haveli, Dist
	RHS		Pune.(Approx. 650m)
10	If the utility is crossing the	NO	NO
	road, the Kilometrage of		
	the road at crossing.	5 1 1 1 5 5 1 1 1 1	B :: (: 10 B: :: : : : :
11	What is the Depth at	Depth of steel Gas Pipline at along is	Depth of steel Gas Pipline at along is
- 1		proposed to laid at 1.50 M 1.5 M below G.L	
- 1	be laid.	, "	G.L
40	1) Along the Road		
12	Is it proposed to lay Utility	NO	NO '
- 1	across the road through	INO	NO
13	casing pipe. If yes, the Depth of the		
'3	Diameter and type of		,
- 1	casing pipe and Depth at	NA	NA ·
	which casing pipe is to be	~	- 1
14	Are the inspection	At 17.00m from road centre	At 17.00m from road centre
	Chamber from centre of	For Steel (2m width x 1.5m depth)	For Steel (2m width x 1.5m depth)
	carriageway and size of	For MDPE (1m width x 1m depth)	For MDPE (1m width x 1m depth)
	chamber.		- see seems and Capa and Capa
15	If yes, Location of	At 17.00m from road centre	At 17.00m from road centre
	Inspection chamber from	For Steel (2m width x1.5m depth)	For Steel (2m width x1.5m depth)
	centre of carriageway and	For MDPE (1m width x 1m depth)	For MDPE (1m width x 1m depth)
	size of chamber.	arrange and the second arrange and the second arrange and the second arrange and the second arrange are second as a second arrange are second as a second arrange are second arrange arr	
16	Is the utility maintenance	Maintenance free (or AsCE luther tenired but	Maintenance free (or As & when regired
	free or it requires	Maintenance free (or As when required but	
- 1	maintenance annually	rarely) CGM - P	& P Dut railery)

MAHARASHTRA MAJURAL GAS LTD.

17	What will be the distance of Utility from the centre line of the nearest carriageway.	at 17.00m from road existing road center(median, center)	at 17.00m from road existing road center(median, center)
18	Does it fulfil the requirement of PWD.	Yes.	Yes.
19	If not what concessions are required to be given? Spell them out	N.A	N.A
20	Is any express permission required from Chief Engg. Before granting permission to the agency by field officer?	N.A	N.A
21			
22	What are the charges to be paid by the agency towards the restoration of the road.	As per Demand Note.	As per Demand Note.
23	Is agency prepared to pay the charges in advance?	Yes.	Yes.
24	Name & Designation of the officer who has carried out field inspection.		Smt.S.P Naik. AE1 National Highway Subdivision Pune
25	His/Her observation along with the signature.		Laie
26	Name,Designation and signature of the person in EESD Office who has scrutinized the proposal.		Shri D.N Deshapande Exective. Engineer National Highway Division Pune

SHATE ON LAY KUMAR SINGH CGM - P & P MAHARASHTRA NATURAL GAS LTD. PUNE

Recommendations by DE

Assistant Engineer Grade I National Highway Sub-Division, Pune.

Recommendations by EE

Executive Engineer
National Highway Division, Pune.

Recommendations by SE

Superinteding Engineer National Highway Circle, Bandra

Comments of ACE

Assistant Chief Engineer National Highway, Konkan Bhavan Navi Mumbai.

Chief Engineer National Highway,Konkan Bhavan Navi Mumbai.

	National Highway Circle, Pune			
National Highway Division, Pune National Highway Sub-Division, Pune				
Name Of Work :	Permission to lay Steel Gas Pipeline along NH -65 Pune-Solapur road from Balaji CNG Station to Shivaji Service Station, Manjari. (CH:KM 10/100 to CH:KM 10/750 in LHS).Tal-Haveli Dist-pune (Approx. 650m)			
Name Of Applicant	: M/s Maharashtra Natural Gas Ltd , Plot No . 27, 'A' Block, 1st Floor , PMPML Commercial Building , Near PMT Bus Depot , Narveer Tanajiwadi , Shivajinagar , Pune-411005			

Year 2021-2022

SHATRUNJAY KUMAR SINGH CGM - P & P MAHARASHTRA NATURAL GAS LTD. PUNE



INSPECTION REPORT

Name of work-

Permission to lay Steel Gas Pipeline along NH-65 Pune Solapur road From Balaji CNG Station (CH:km 10/100) to Shivaji Service Station, Manjari (CH:km 10/750) in LHS, Taluka- Haveli, District - Pune in the State of Maharashtra. (Total Length 0.650km)

The Maharashtra Natural gas Corporation Ltd. Pune has submitted the proposal of permission for Permission to lay Steel Gas Pipeline along NH-65 Pune Solapur road From Balaji CNG Station (CH:km 10/100) to Shivaji Service Station, Manjari (CH:km 10/750) in LHS, Taluka- Haveli, District - Pune in the State of Maharashtra. (Total Length 0.650km) vide letter no. MNGL/ P&P/PRMSN/NH-65/ Pune-Solapur/ 09, Dtd: 12/08/2021 (received to Division office on dt: 20.10.2021).

The proposal is inspected on site on dt: 15/11/2021 and the report is submitted as under-

- 1. The proposal is for laying Gas pipe line of 1) one 125mm diameter MDPE Pipe and 2) one- 150 mm diameter Steel Pipe for conveying Gas.
- 2. It is a trenching method proposal with 500mm width and 1.60m depth as indicated in typical cross section.
- 3. The applicant has submitted the methodology and the cross section for this proposal and the execution shall be inaccordance with the same.
- 4. The use of this service is for Petrol pump / Gas Pump serviced supply.
- 5. The ROW available at this site is 34.0m and the proposed pipe line is to be laid below the existing Foot path of width 1.50m, hence excavation width will be 1.50m wide. The applicant shall require to rebuilt/ restore the Concrete Footpath at its own cost.
- 6. The proposal generally fulfill the requirement of Ministry's circular no. RW/NH-33044/29/2015/S&R, Dtd: 22/11/2016.

In view of the above the proposal is submitted for further process.

Assistant Engineer Gr-I National Highway Subdivision Pune Executive Engineer
National Highway Division
Pune

6

CERTIFICATE

Name of work-

Permission to lay Steel Gas Pipeline along NH-65 Pune Solapur road From Balaji CNG Station (CH:km 10/100) to Shivaji Service Station, Manjari (CH:km 10/750) in LHS, Taluka- Haveli, District - Pune in the State of Maharashtra. (Total Length 0.650km).

This is to certify that, the proposal generally fulfills the requirements of MoRT&H (Ministry's) circular no. RW/NH-33044/29/2015/S&R (R), Dtd: 22nd November 2016 for obtaining Permission to lay Steel Gas Pipeline along NH-65 Pune Solapur road From Balaji CNG Station (CH:km 10/100) to Shivaji Service Station, Manjari (CH:km 10/750) in LHS, Taluka- Haveli, District - Pune in the State of Maharashtra. (Total Length 0.650km) for Maharashra Natural Gas Ltd. Pune.

Fair

Assistant Engineer Gr-I National Highway Subdivision Pune Executive Engineer
National Highway Division
Pune

Permission to Lay Steel Gass Pipe Line along NH -65 Pune Solapur road From Balaji CNG Station (CH Km. 10/100) to Shivaji Service Sttion, Manjari (CH- Km. 10/750) in LHS, Taluka- Haveli, District- Pune Name of Work :in the State of Maharashtra (Total Length 0.650 Km. approx) SITE - MAP **BALAJI CNG STATION** Shivaji Shivaji Service Sttion, Manjari KM. 10/750 0.650 M. KM. 10/100 SOLAPUR PUNE SOLAPUR ROAD N. H. NO. 65 Assistant Engineer Gr-1
National Highway Sub Division Pune-1