



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
NATIONAL HIGHWAYS AUTHORITY OF INDIA
(Ministry of Road Transport and Highways, Govt. of India)



क्षेत्रीय कार्यालय / REGIONAL OFFICE

ई-2/167, अरेरा कॉलोनी, हबीबगंज रेल्वे स्टेशन के पास, भोपाल (म.प्र.) 462016
E-2/167, Arera Colony, Near Habibganj Railway Station, Bhopal (M.P.) 462016

दूरभाष/Phone : 0755-2426638, फैक्स /Fax : 0755-2426698, ई-मेल/E-mail : robhopal@nhai.org

NHA/RO-MP/BPL/OFC/2020/ 41059

Date: 13.11.2020

Invitation of Public Comments

Sub.: Balance work for 4-laning of Bhopal – Biaora section of NH-12 from Lalghati Square km. 315.725 to Biaora Km. 421.325 in the state of Madhya Pradesh on EPC mode (NH-12/Package-I & II) – **Permission to lay underground Optical Fibre Cable from Kurawar 365.000 to Biaora 421.325 – Reg.**

Ref: 1.PD, PIU-Bhopal letter no. NHA/PIU/BPL/OFC/Airtel/NH-12/PKG-II/BPL-BIA/2020/16669 dated 05.11.2020
2.M/s Telesonic Networks Ltd. (Airtel) letter no. TNL/ROW/OFC/M.P./Kurawar-Biaora/NHA/01 Dated 17.08.2020, received in PIU office on 26.08.2020.


The Project Director, PIU-Bhopal NHA vide their letter dated 05.11.2020 has submitted the proposal for Permission to lay underground Optical Fibre Cable from Kurawar 365.000 to Biaora 421.325 for total length of 56.325km as received from M/s Telesonic Networks Ltd. (Airtel).

2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for **30 days** on ground of public interest.

3. In view of the above the comments of public are invited on captioned proposal (copy of application is enclosed) and the same should reach to below mentioned address till **12.12.2020** beyond which no comments will be considered.

The Highway Administrator
O/o Regional Officer,
National Highways Authority of India
E-2/167, Arera Colony,
Near Habibganj Railway Station,
Bhopal (MP)-462016
E-mail ID:robhopal@nhai.org

4. This issues with the approval of Highways Administrator Cum Regional Officer, NHA, Bhopal (MP).


(V. K. Kankane)

Dy. General Manager (T)

Copy to:

- Web-Admin, nhai.org@gmail.com, NHA-HQ for uploading on NHA website.
- The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.
- The Project Director, PIU-Bhopal (MP) –for information.
- Authorized Signatory, M/s Telesonic Networks Ltd. (Airtel) for information.

CHECK-LIST


Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Relevant circulars

- 1) Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.09.2000
- 2) NHAI's circular no. NHAI/OEC/2k/Vol II dated 7.11.2000, which includes the comprehensive guideline and draft license agreement for laying of OFC cable by private party in the land along National Highway vested with NHAI.
- 3) Ministry's circular no. RW/NH-333044/27/2000-S&R (R) date 21.03.2006. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 50/- per route meter in place of earlier rate of Rs. 25/- per route meter.
- 4) Ministry's circular no. RW/NH-33044/27/2005-S&R (R) (Pt.) date 06/07.08.2013. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100/- per route meter in place of earlier rate of Rs. 50/- per route meter.
- 5) Ministry of Road Transport & Highways letter No. 33044 / 29 / 2015 /S&R(R) dated 22.11.2016. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100/- & additional charges as per utilized NH Land area.



Check list for getting approval for laying of optical fiber cables on NH land

S.No.	Item	Information/Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	Telesonic Network Ltd. ; Regd. Office: Corp. Office: Bharti crescent Vasant Kunj, t, 1- Nelson Mandela road Phase-II, New Delhi – 110 070, India	
1.2	National Highway Number	NH-46	
1.3	State	Madhya Pradesh	
1.4	Location	Kurawar-Biaora Road	
1.5	(Chainage in km) 	ON NH-46 from Kurawar Kms -368+000 to Biaora Kms -306+000 on Bhopal-Kurawar-Biaora (Map attached). Total section length ROW applied for 62+000Kms.	
1.6	Length in Meters	62000 Mtrs. 56.325 Km	
1.7	Width of available ROW	Varying from 60	
	(a) Left side from center line towards increasing chainage/km direction	As per Drawings attached	



Team Leader cum Senior Highway Engineer
 Authority's Engineer
 Lea Associates South Asia Pvt. Ltd.
 Bhopal-Biaora Section of NH-12


	(b) Right side from center line towards increasing chainage/km direction	As per Drawings attached	
1.8	Proposal to lay the cable		
	(a) Left side from center line towards increasing chainage/km direction	On NH-46 from Kurawar Kms -368+000 to Biaora Kms -306+000 on Bhopal-Kurawar-Biaora (Map attached). Total section length ROW applied for 62+000 Kms. 56.325 Km	
	(b) Right side from center line towards increasing chainage/km direction	NA	
1.9	Proposal to acquire land	No	
	(a) Left side form center line		
	(b) Right side from center line		
1.10	Whether proposal is in the same side where land is not to be acquired	YES	
	If not then where to lay the cable		
1.11	Details of already laid services, if any, along the proposed route	BSNL	
1.12	Number of lanes (2/4 / 6/8 lanes) existing	4 Lanes	
1.13	Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	Not	
	If yes then which side		
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.15	Proposed Service Road		
	(a) Left side from center Line	NA	
	(b) Right side from center line	NA	



[Signature]
Manager (Tech.)
 NHAI, PIU-Bhopal

[Signature]
Team Leader cum Senior Highway Engineer
 Authorizing Engineer
 Lea Associates Pvt. Ltd.
 Bhopal-Biaora Section

1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	Extreme Edge of RoW	
1.17	The permission for laying OFC shall be considered for approval/rejection		
	(i) Where the ROW is more than 60 m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	Yes	
	(ii) where land is yet to be acquired for 4 laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4-laning.	NA	
	(iii) Where the widening plan for 4-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	NA	
	(iv) Where ROW is restricted and adequate only to accomodate the carriageway, central verge, shoulders and drains (e.g. highways in cutting through hilly/rolling terrain), the cable shall be laid clear of the drain.	NA	
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused.	NA	
1.18	No. of applicants on the same stretch	01	
1.19	Whether the case of multiple licenses	Single	
1.20	If so furnish a joint implementation programmer to lay their respective ducts within stipulated time frame.	NA	




Sps.
 Dy. Manager (Tech.)
 NHAI, PIU-Bhopal

Team Leader cum Senior Highway Engineer
 Aul
 Lea Association
 Bhopal-Bilaspur


1.21	If crossings of the road involved If Yes it shall only be through trench-less technology	No Road Crossing	
2.	Document/Drawings enclosed with the proposal	YES	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.65m deep x 0.5m wide) Should not be greater than 1.2m in width in multiple ducts.	Yes Standard Size	
2.2	Cross section showing the size of pit and location of cable for HDD method	Drawing Attached	
2.3	Strip plan/Route Plan showing the OFC, Chainage, width of ROW, distance of proposed, cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Attached	
2.4	Methodology for laying of OFC	<i>No</i> OT & HDD <i>only</i>	
2.4.1	Open trenching method. If yes, Methodology of refilling of trench	Yes, refilling by excavated material	
2.4.2	Horizontal Directional Drilling (HDD) Method	<i>Only for crossing Through section</i>	
2.4.3	Laying OFC Through CD Works And Method Of Laying (Whether to be hung outside parapet)	Yes	
3.	Draft license Agreement signed by two witnesses	Yes	
4.	Performance Bank Guarantee	Submitted After approval	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	BG shall be submitted as per MoRTH Guidelines	
5	Affidavit/ Undertaking from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Yes ; Covered in Agreement	
5.2	Renewal of Bank Guarantee	Yes ; Covered in Agreement	
5.3	Confirming all standard condition of NHAI's guideline	Yes ; Covered in Agreement	




 Team Leader cum Senior Highway Engineer
 Authority's Engineer
 Lea Associates South Asia Pvt. Ltd
 Bhopal-Biaora Section of NH-12


Ans

5.4	Shifting of OFC as and when required by NHAI	Yes ; Covered in Agreement	
5.5	Shifting due to 6 lanning / widening of NH	Yes ; Covered in Agreement	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes ; Covered in Agreement	
5.7	Traffic movement during laying of OFC to be managed by the applicant	Yes ; Covered in Agreement	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant	Yes ; Covered in Agreement	
5.9	Certificate for 6-lanning from the applicant in following format "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future six-lanning or any other development."	Yes ; Covered in Undertaking	
6.	Power of Attorney in favor of authorized signatory	Yes ; Enclosed	
7.	Copy of DOT license	Yes ; Enclosed	
8.	Certificate from the Project Director	PD NHAI PIU Bhopal	
8.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.9.2000 and NHAI's guidelines issued vide No. NHAI/OEC/2k/Vol II dated 7.11.2000 and Ministry's Circular No. RW/NH-33044/27/2000-S&R dated 21.3.2006. Ministry's circular No. RW/NH-33044/27/2005-S&R (R) (Pt.) date 06/07.08.2013 & Ministry of Road Transport & Highways letter No. 33044 / 29 / 2015 /S&R(R) dated 22.11.2016.		
8.2	Certificate for 4-lanning from PD in the following format.	NA	
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the	Kurawar-Biaora Road	



Team Leader cum Senior Highway Engineer
 Authority's Engineer
 Lea Associates South Asia Pvt. Ltd
 Bhopal-Biaora Section of NH-12

	said location. (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".		
9.	The agreement fee of Rs. 1 shall be charged	Yes	
10.	If NH section proposed to be taken up by NHAI on BOT basis - a clause in para 17 to be inserted in the agreement. <i>"The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up=gradation of [..... section from Km ----- to km ----- of NMH No.- ----- on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."</i>		
11.	Who will supervise the work of laying of OFC	PD NHAI PIU Bhopal	
12.	Who will ensure that the defects in road portion after laying of OFC are corrected and if not corrected then what action will be taken.		
13.	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire.	TNL	
14.	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (copy enclosed) issued vide Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003.Ministry's circular No. RW/NH-33044/27/2005-S&R (R) (Pt.) date 06/07.08.2013 & Ministry of Road Transport & Highways letter No. 33044 / 29 / 2015 /S&R(R) dated 22.11.2016.	Yes	
15.	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD Ministry of Road Transport & Highways letter No. 33044 / 29 / 2015 /S&R(R) dated 22.11.2016. as referred in para 13 above is enclosed or	NA	



[Signature]
Manager (Tech.)
NHAI, PIU-Bhopal

Team Leader cum Senior Highway Engineer
Authority's Engineer
Lea Associates South Asia Pvt. Ltd
Bhopal-Biaora Section of NH-12

[Signature]

	not.		
--	------	--	--

