

No.RW-MD/TN/OFC/Per/NH-47/2002-3
GOVERNMENT OF INDIA
MINISTRY OF ROAD TRANSPORT & HIGHWAYS
Chief Engineer cum Regional Office,
C-1-A, Rajaji Bhavan, Besant Nagar, Chennai- 600090.
Telefax Off: 24919341, 24916032.

Date: 12.07.2019

Invitation of public comments

Subject: Permission Proposal for laying underground Optical fiber cable along the NH from Km 4/200 to Km 6/600 (RHS), Km 19/400 to Km 19/600 (RHS), Km 4/200 to Km 6/600 (LHS) and across at Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600 (L&R) Km 5/100®, Km 6/050(R) (Salem - Kumarapalayam section) of NH-47 in the State of Tamil Nadu - Regarding.

The proposal is regarding permission for laying of Optical fiber cable M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 4/200 to Km 6/600 (RHS), Km 19/400 to Km 19/600 (RHS), Km 4/200 to Km 6/600 (LHS) and across at Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600(L&R) Km 5/100®, Km 6/050(R) (Salem - Kumarapalayam section) of NH-47 in the State of Tamil Nad was submitted to this office by the PD, NHAI, Salem vide letter No.NHAI/PIU-SLM/NH-47/OFC/2019/1007 dated 10.06.2019 (received on 17.06.2019) has submitted the proposal to this office in accordance with Ministry's latest guidelines dated 22.11.2016.

2. The alignment proposed by M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 4/200 to Km 6/600 (RHS), Km 19/400 to Km 19/600 (RHS), Km 4/200 to Km 6/600 (LHS) and across at Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600(L&R) Km 5/100®, Km 6/050(R) (Salem - Kumarapalayam section) of NH-47 in the State of Tamil Nadu i.e. in a length of 5126m as detailed under:

Stretch in Km	Length (Km)	ROW (m)	Dist. of Prop. Optical fiber cable from Centre of NH (m)
RHS - size of pipe - 40 mm dia PLB Pipe			
Km 4/200 to Km 6/600	0.650	60.00	29.00
Km 19/400 to Km 19/600	0.100	60.00	29.00
LHS - size of pipe - 40 mm dia PLB Pipe			
4/200 to Km 6/600	5.000	60.00	29.00
Across Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600 (L&R) Km 5/100®, Km 6/050(R) - size of pipe - 40 mm dia HDPE Duct Pipe			

3. The right of way is 60m in the aforesaid stretch. The carriageway width of each side aforesaid stretch is 10.50m. M/s Reliance Jio Infocomm Ltd., Chennai has proposed to lay the Optical fiber cable at the edge of the ROW for a length of 5126m. However, in the 5126m, length of the Optical fiber cable is proposed to be laid at a distance greater than 15m which is in conformity with Ministry's guidelines vide letter No.NHIII/P/66/76 dated 19.11.1976. Further, M/s Reliance Jio Infocomm Ltd., Chennai has mentioned that the Optical fiber cable along the NH from Km 4/200 to Km 6/600 (RHS), Km 19/400 to Km 19/600 (RHS), Km 4/200 to Km 6/600 (LHS) and across at Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600(L&R) Km 5/100®, Km 6/050(R) by open Trench method for distance is greater than 15m from the center line of the carriageway and across Km 4/200, Km 6/600 and MH @ Km 4/200 (L&R) Km 6/600 (L&R) Km 5/100®, Km 6/050(R) (Road crossing) by HDD method the NH at a depth of 1.65m from the bottom of the road.

P.T.O

4. M/s Reliance Jio Infocomm Ltd., Chennai has furnished an undertaking to the effect that M/s Reliance Jio Infocomm Ltd., Chennai will remove the laid OFC line in future if required by NH wing of State Highways Department/MoRTH Govt. of India at any time for expansion of the NH at their own cost without claiming any compensation from NH wing of Tamil Nadu/MoRTH Govt. of India and any right on the NH land. Further, mentioned that M/s Reliance Jio Infocomm Ltd., Chennai will also restore the surfaces to its original condition soon after removal of the OFC lines. Also, certified that the proposed Optical fiber cable work will not affect the design, stability, traffic safety and future improvement of the proposed stretch.

5. As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 the relaxation application submitted by the applicant will be made available for public comments and the comments will be invited within 30 days from the day of uploading.

In view of the above, comments of the public on the above proposal requiring relaxation from distance criteria is invited to the below mentioned address:

The Chief Engineer cum Regional Officer
Ministry of Road Transport & Highways,
C-1-A, Rajaji Bhavan, Besant Nagar,
Chennai- 600 090

Encl: As Above.

Copy to:

1. The NIC, New Delhi - for uploading in the Ministry's website.
2. PD, NHAI, Salem - for information

Yours faithfully,



(Ellavarason R)

Superintending Engineer
For Chief Engineer-RO

(Ellavarason R)

Superintending Engineer
For Chief Engineer-RO

No.RW-MD/TN/OFC/Per/NH-47/2002-2
GOVERNMENT OF INDIA
MINISTRY OF ROAD TRANSPORT & HIGHWAYS
Chief Engineer cum Regional Office,
C-1-A, Rajaji Bhavan, Besant Nagar, Chennai- 600090.
Telefax Off: 24919341, 24916032.

Date: 12.09.2019

Invitation of public comments

Subject: Permission Proposal for laying underground Optical fiber cable along the NH from Km 57/800 to Km 58/450 (LHS), Km 79/200 to Km 79/300 (LHS), Km 65/000 to Km 70/000 & Km 75/600 to Km 85/950 (RHS) and across at Km 57/800, Km 65/130, Km 66/500, Km 69/000, Km 69/600, Km 75/600, Km 76/600, Km 77/350, Km 79/200, Km 79/300, Km 83/600, Km 83/950 & Km 85/950 (Kumarapalayam - Chengapalli section) of NH-47 in the State of Tamil Nadu - Regarding.

The proposal is regarding permission for laying of Optical fiber cable M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 57/800 to Km 58/450 (LHS), Km 79/200 to Km 79/300 (LHS), Km 65/000 to Km 70/000 & Km 75/600 to Km 85/950 (RHS) and across at Km 57/800, Km 65/130, Km 66/500, Km 69/000, Km 69/600, Km 75/600, Km 76/600, Km 77/350, Km 79/200, Km 79/300, Km 83/600, Km 83/950 & Km 85/950 (Kumarapalayam - Chengapalli section) of NH-47 in the State of Tamil Nadu was submitted to this office by the PD, NHAI, Salem vide letter No.NHAI/PIU-SLM/NH-47/OFC/2019/1003 dated 10.06.2019 (received on 17.06.2019) has submitted the proposal to this office in accordance with Ministry's latest guidelines dated 22.11.2016.

2. The alignment proposed by M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 57/800 to Km 58/450 (LHS), Km 79/200 to Km 79/300 (LHS), Km 65/000 to Km 70/000 & Km 75/600 to Km 85/950 (RHS) and across at Km 57/800, Km 65/130, Km 66/500, Km 69/000, Km 69/600, Km 75/600, Km 76/600, Km 77/350, Km 79/200, Km 79/300, Km 83/600, Km 83/950 & Km 85/950 (Kumarapalayam - Chengapalli section) of NH-47 in the State of Tamil Nadu i.e. in a length of 16898m as detailed under:

Stretch in Km	Length (Km)	ROW (m)	Dist. of Prop. Optical fiber cable from Centre of NH (m)
LHS - size of pipe - 40 mm dia PLB Pipe			
Km 57/800 to Km 58/450	0.650	60.00	29.00
Km 79/200 to Km 79/300	0.100	60.00	29.00
RHS - size of pipe - 40 mm dia PLB Pipe			
Km 65/000 to Km 70/000	5.000	60.00	29.00
Km 75/600 to Km 85/950	10.350	60.00	29.00
Across Km 57/800, Km 65/130, Km 66/500, Km 69/000, Km 69/600, Km 75/600, Km 76/600, Km 77/350, Km 79/200, Km 79/300, Km 83/600, Km 83/950 & Km 85/950 - size of pipe - 40 mm dia HDPE Duct Pipe			

3. The right of way is 60m in the aforesaid stretch. The carriageway width of each side aforesaid stretch is 10.50m. M/s Reliance Jio Infocomm Ltd., Chennai has proposed to lay the Optical fiber cable at the edge of the ROW for a length of 16898m. However, in the 16898m, length of the Optical fiber cable is proposed to be laid at a distance greater than 15m which is in conformity with Ministry's guidelines vide letter No.NHAI/P/66/76 dated 19.11.1976. Further, M/s Reliance Jio Infocomm Ltd., Chennai has mentioned that the Optical fiber cable along the NH by open Trench method for distance is greater than 15m from the center line of the carriageway and across Km 57/800, Km 65/130, Km 66/500, Km 69/000, Km 69/600, Km 75/600, Km 76/600, Km 77/350, Km 79/200, Km 79/300, Km 83/600, Km 83/950 & Km 85/950(Road crossing) by HDD method the NH at a depth of 1.65m from the bottom of the road.

P.T.O

4. M/s Reliance Jio Infocomm Ltd., Chennai has furnished an undertaking to the effect that M/s Reliance Jio Infocomm Ltd., Chennai will remove the laid OFC line in future if required by NH wing of State Highways Department/MoRTH Govt. of India at any time for expansion of the NH at their own cost without claiming any compensation from NH wing of Tamil Nadu/MoRTH Govt. of India and any right on the NH land. Further, mentioned that M/s Reliance Jio Infocomm Ltd., Chennai will also restore the surfaces to its original condition soon after removal of the OFC lines. Also, certified that the proposed Optical fiber cable work will not affect the design, stability, traffic safety and future improvement of the proposed stretch.

5. As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 the relaxation application submitted by the applicant will be made available for public comments and the comments will be invited within 30 days from the day of uploading.

In view of the above, comments of the public on the above proposal requiring relaxation from distance criteria is invited to the below mentioned address:

The Chief Engineer cum Regional Officer
Ministry of Road Transport & Highways,
C-1-A, Rajaji Bhavan, Besant Nagar,
Chennai- 600 090

Encl: As Above.

Copy to:

1. The NIC, New Delhi - for uploading in the Ministry's website.
2. PD, NHAI, Salem - for information

Yours faithfully,


(Ellavarason R)
Superintending Engineer
For Chief Engineer-RO


(Ellavarason R)
Superintending Engineer
For Chief Engineer-RO

No.RW-MD/TN/OFC/Per/NH-47/2002-1
GOVERNMENT OF INDIA
MINISTRY OF ROAD TRANSPORT & HIGHWAYS
Chief Engineer cum Regional Office,
C-1-A, Rajaji Bhavan, Besant Nagar, Chennai- 600090.
Telefax Off: 24919341, 24916032.

Date: 12.09.2019

Invitation of public comments

Subject: Permission Proposal for laying underground Optical fiber cable along the NH from Km 32/700 to Km 34/700 (RHS) (Salem - Kumarapalayam section) of NH-47 in the State of Tamil Nadu - Regarding.

The proposal is regarding permission for laying of Optical fiber cable M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 32/700 to Km 34/700 (RHS) (Salem - Kumarapalayam section) of NH-47 was submitted to this office by the PD, NHAI, Salem vide letter No.NHAI/PIU-SLM/NH-47/OFC/2019/1006 dated 10.06.2019 (received on 14.06.2019) has submitted the proposal to this office in accordance with Ministry's latest guidelines dated 22.11.2016.

2. The alignment proposed by M/s Reliance Jio Infocomm Ltd., Chennai, Optical fiber cable along the NH from Km 32/700 to Km 34/700 (RHS) (Salem - Kumarapalayam section) of NH-47 in the State of Tamil Nadu i.e. in a length of 2000m as detailed under:

Stretch in Km	Length (Km)	ROW (m)	Dist. of Prop. Optical fiber cable from Centre of NH (m)
RHS - size of pipe - 40 mm dia PLB Pipe			
32/700 to Km 34/700	2.00	60.00	29.00

3. The right of way is 60m in the aforesaid stretch. The carriageway width of each side aforesaid stretch is 10.50m. M/s Reliance Jio Infocomm Ltd., Chennai has proposed to lay the Optical fiber cable at the edge of the ROW for a length of 2000m. However, in the 2000m, length of the Optical fiber cable is proposed to be laid at a distance greater than 15m which is in conformity with Ministry's guidelines vide letter No.NHIII/P/66/76 dated 19.11.1976. Further, M/s Reliance Jio Infocomm Ltd., Chennai has mentioned that the Optical fiber cable along the NH from Km 32/700 to Km 34/700 (RHS) by open Trench for distance is greater than 15m from the center line of the carriageway the NH at a depth of 1.65m from the bottom of the road.

4. M/s Reliance Jio Infocomm Ltd., Chennai has furnished an undertaking to the effect that M/s Reliance Jio Infocomm Ltd., Chennai will remove the laid OFC line in future if required by NH wing of State Highways Department/MoRTH Govt. of India at any time for expansion of the NH at their own cost without claiming any compensation from NH wing of Tamil Nadu/MoRTH Govt. of India and any right on the NH land. Further, mentioned that M/s Reliance Jio Infocomm Ltd., Chennai will also restore the surfaces to its original condition soon after removal of the OFC lines. Also, certified that the proposed Optical fiber cable work will not affect the design, stability, traffic safety and future improvement of the proposed stretch.

5. As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 the relaxation application submitted by the applicant will be made available for public comments and the comments will be invited within 30 days from the day of uploading.

-2-

In view of the above, comments of the public on the above proposal requiring relaxation from distance criteria is invited to the below mentioned address:

The Chief Engineer cum Regional Officer
Ministry of Road Transport & Highways,
C-1-A, Rajaji Bhavan, Besant Nagar,
Chennai- 600 090

Encl: As Above.

Copy to:

1. The NIC, New Delhi - for uploading in the Ministry's website.
2. PD, NHAI, Salem - for information

Yours faithfully,

(Signature)
(Ellavarason R)

Superintending Engineer
For Chief Engineer-RO

(Ellavarason R)

Superintending Engineer
For Chief Engineer-RO