



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

क्षेत्रीय कार्यालय-पश्चिम उपग्रो, लखनऊ Regional Office - West UP, Lucknow

3/248, विशाल खण्ड, गोमती नगर, लखनऊ-226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680

ई-मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com

19001/1/RO-W-UP/NH-709A/Km. 59+800-61+700/SPL/1322 Dated: 10.05.2022



### Invitation of Public Comments

**Sub:** Request for the permission for laying of underground gas pipeline (8" dia of Steel Pipe and 125mm dia MDPE gas pipeline) of M/s Indraprastha Gas Limited from existing Ch. 59+800 to existing Ch. 61+700 along left-hand side of the National Highway. The total section length for ROW applied is 1.9km on along Meerut-Karnal Road, National Highway, New NH-709A (Old SH-82) in the State of Uttar Pradesh.

The Addl. General Manager, M/s Indraprastha Gas Limited, New Delhi has submitted the proposal through PD, PIU-Baghat for the permission for laying of underground gas pipeline (8" dia of Steel Pipe and 125mm dia MDPE gas pipeline) of M/s Indraprastha Gas Limited from existing Ch. 59+800 to existing Ch. 61+700 along left-hand side of the National Highway. The total section length for ROW applied is 1.9km on along Meerut-Karnal Road, National Highway, New NH-709A (Old SH-82) in the State of Uttar Pradesh.

2. From the submitted proposal, it is seen that as per checklist/drawing the Pipe line is proposed 8" dia of Steel Pipe and 125mm dia MDPE gas pipeline of M/s Indraprastha Gas Limited from existing Ch. 59+800 to existing Ch. 61+700 along left-hand side of the National Highway. The total applied length is 1.9km on along Meerut-Karnal Road, National Highway, New NH-709A (Old SH-82). Width of available ROW 24.40m (km 59 - km 60), 28.90m (km 60 - km 61), 23.40 (km 61 - km 62). Left/Right side from center line towards increasing chainage/ km direction is 12.20m (km 59 - km 60), 14.45m (km 60 - km 61), 11.70 (km 61 - km 62) respectively. The NH is existing 4/2 lane.

3. Applicant has proposes Methodology for laying/crossing of Steel Pipeline through open trench and HDD Method. However, permission will be given through open trench for the work executing along the Highway only with the condition that embankment of the Highway should not be damaged and laying will be done at the edge of ROW. Further, while laying of pipeline along the Highway, if there is a cross road/approach road connecting Highway, then at that particular location laying will be done only through HDD Method. In case of crossings, work should be executed strictly through HDD method.

4. As per the guidelines issued by the Ministry vide OM No.RW/NH-33044/29/ 2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

Contd.....2/-

*Signature* 10/05/22




::2::

In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained

**The Regional Officer,  
National Highways Authority of India  
Regional Office, UP-West, Lucknow  
3/248, Vishal Khand, Gomti Nagar  
Lucknow-226 010**

This issues with the approval of RO-UP (West), Lucknow.

Encl: As above.

  
(Anuj Kumar Singh)  
DGM (Tech.)  
For RO-UP (West)

Copy to:

1. Web Admin, NHAI, HQ - with a request for uploading on the NHAI website.
2. The Technical Director, NIC, Transport Bhawan, New Delhi - with a request for uploading on Ministry's website.
3. PD, PIU-Baghat for information.
4. The Addl. General Manager, M/s Indraprastha Gas Limited, New Delhi for information.

### CHECK LIST

Guidelines for Accommodation of Public and Industrial Utility Services along and across National Highways.

Ministry's circular No.RW/NH-33044/29/2015/S&R@ dated 22.11.2016.

#### Check list for getting approval for laying of cables on NH land

S. No.	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	M/s INDRAPRASTHA GAS LIMITED "IGL Bhawan, Plot No.4, Community Centre, R.K. Puram, Sector-9, New Delhi-110022"	
1.2	National Highway Number	Meerut-Shamli-Karnal Road, New NH-709A (OLD SH-82)	
1.3	State	Uttar Pradesh	
1.4	Location	Vijay Talkies to Chaudhary Service Centre Hindustan Petroleum and CNG Station.	
1.5	(Chainage in Km)	Existing CH. 59+800 TO Existing CH. 61+700.	
1.6	Length in Meters	1900 Meters	
1.7	Width of available ROW	OLD KM. 59 TO 60=24.40M, OLD KM. 60 TO 61=28.90M, OLD KM. 61 TO 62=23.40M	
	(a) Left side from center line towards increasing Chainage/ km direction	OLD KM. 59 TO 60=12.20M, OLD KM. 60 TO 61=14.450M, OLD KM. 61 TO 62=11.70M	
	(b) Right side from center line towards increasing Chainage/ km direction	OLD KM. 59 TO 60=12.20M, OLD KM. 60 TO 61=14.450M, OLD KM. 61 TO 62=11.70M	
1.8	Proposal to lay underground Gas Pipe Line	Along the Carriageway	
	(a) Left side from center line towards increasing Chainage/ km direction	OLD KM. 59 TO 60=12.20M, OLD KM. 60 TO 61=14.450M, OLD KM. 61 TO 62=11.70M	
	(b) Right side from center line towards increasing Chainage/ km direction	N/A	
1.9	Proposal to acquire land	N/A	
	(a) Left side from center line		
	(b) Right side from center line		
1.10	Whether proposal is in the same side where land is not	Yes, As Per Drawing	

31

**SOMIL GARG**  
Addl. General Manager  
Indraprastha Gas Limited  
IGL Bhawan, Plot No. 4, R.K. Puram  
Sector-9, New Delhi-110022

@jit

sc er

**Project Director**  
National Highway Authority of India  
PIU-Bhopal



	to be acquired	Attached	
	If not then where to lay underground Gas Pipe Line	Within available ROW	
1.11	Details of already laid services, if any, along the proposed route.	N/A	
1.12	Number of lanes (2/4/6/8 lanes) existing	4/2 Lanes (Existing)	
1.13	Proposed Number of lanes (2 lane with paved shoulders / 4/6/8 lanes)	Existing Road	
1.14	Service road existing or not	No	
	If yes then which side		
	(a) Left side from center line		
	(b) right side from center line		
1.15	Proposed Service Road	N/A	
	(a) Left side from center line		
	(b) Right side from center line		
1.16	Whether proposal of lay underground Gas Pipe Line is after the service road or between the service road and main carriageway	After the main carriageway	
1.17	The permission for laying underground Gas Pipe Line shall be considered for approval/ rejection	For Approval	
	(i) Where the ROW is more than 45 m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening	ROW is OLD KM. 59 TO 60=24.40M, OLD KM. 60 TO 61=28.90M, OLD KM. 61 TO 62=23.40M	
	(ii) Where land is yet to be acquired for 4 laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4 – laning	No	
	(iii) Where the widening plan for 4 – laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/ duct. This could be within 1.5m to 2m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	ROW Available less than 30m (Exist. OLD KM. 59 TO 60=24.40M, OLD KM. 60 TO 61=28.90M, OLD KM. 61 TO 62=23.40M	
	(iv) Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drain (e.g., highways in cutting through hilly/ rolling terrain), the cable shall be laid clear of the drain.	N/A	
	(v) Where land strip for utility corridor cannot be conveniently ear-marked (available ROW restricted to the toe of the embankment) for laying of cable/ ducts, the permission may be refused.	N/A	
1.18	No. of applicants on the same stretch	Single Applicant	
1.19	Whether the case of multiple licenses	No	
1.20	If so, furnish a joint implementation programmer to lay their respective ducts within stipulated time frame.	N/A	

3-1  
**SOMIL GARG**  
Addl. General Manager  
Indraprastha Gas Limited  
IGL Bhawan, Plot No. 4, R.K. Puram  
Sector-9. New Delhi-110022

Opit

40  
Project Director  
National Highway Authority of India  
PIU-Baghat



1.21	If crossings of the road involved. If yes it shall only be through trench – less technology	Yes, through HDD trenching Method	
2	Documents/ drawing enclosed with the proposal.	Yes	
2.1	Cross-section showing the size of trench for open trenching method.	Yes, Drawings are enclosed	
2.2	Cross section showing the size of pit and location of Gas Pipe Line for HDD method.	Shown in drawing	
2.3	Strip plan/ Route Plan showing the gas Pipe Line, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersection, cross drainages works etc.	Shown in drawing	
2.4	Methodology for laying of underground Natural Gas Pipe Line.	Enclosed	
2.4.1	Laying of underground Natural Gas Pipe Line along the National Highway through Open trenching method. or trench less method.	Through HDD / trenching Method	
2.4.2	Horizontal Direction Drilling (HDD) Method for crossing of National Highway.	Yes, through HDD/ trenchless Method	
2.4.3	Laying of underground Natural Gas Pipe Line through CD works and method of laying (whether to be hung outside parapet)	N/A	
3.	Draft License Agreement signed by two witnesses	Yes	
4	Performance Bank Guarantee		
4.1	Confirmation of BG has been obtained as per NHAI guidelines	BG Shall be submitted as per NHAI/ MORTH Guidelines	
5	Affidavit / Undertaking from the Applicant for		
5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes Enclosed	
5.2	Renewal of Bank Guarantee	Yes	
5.3	Confirming all standards condition of NHAI guidelines.	Yes Enclosed	
5.4	Shifting of PNG/OFC/ Cables as and when required by NHAI	Yes Enclosed	
5.5	Shifting due to 6 Lanning / widening of NH	Yes Enclosed	
5.6	Indemnity against all damages and claims clause (xxiv).	Yes Enclosed	
5.7	Traffic movement during laying of PNG/OFC/ Cables to be managed by the applicant.	Yes Enclosed	
5.8	If any claim is raised by the concessionaires, then the same has to be paid by the applicant.	Yes Enclosed	
5.9	Certificate for 6 – laning from the applicant in the following format: - “We do undertake that I will relocate service road/ approach road/ utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI” for future six – laning or any other development.”	Yes Enclosed	
6	Power of Attorney in favour of authorized signatory	Yes Enclosed	
7	Copy of DOT license	N/A	

3 in  
**SOMIL GARG**  
 Addl. General Manager  
 Indraprastha Gas Limited  
 IGL Bhawan, Plot No. 4, R.K. Puram  
 Sector-9, New Delhi-110022

Opit

SC 02

Project Director  
 National Highway Authority of India  
 P.U. Baghpat

8	Certificate from the Project Director		
8.1	Certificate for confirming of all standard condition issued vide Ministry Circular No.RW/NH-33044/17/2000/S&R dated 29.09.200 and NHAI guidelines issued vide No. NHAI/OEC/2k/Vol II dated: 07.11.2000 and Ministry Circular No. RW/NH33044/27/2000 S&R dated: 21.03.2006.	Yes Enclosed	
8.2	Certificate for 4 – laning from PD in the following format.	Existing 2-Lane / 4-Lane	
	(a) Where feasibility is available “I do certify that there will be no hindrance to existing 4- laning based on the feasibility report considering proposed structures at the said location”.	Yes Enclosed	
9	The agreement fee of Rs. 7,71,685/- shall be charged	Yes Enclosed	
10	If NH section proposed to be taken up by NHAI on BOT basis a clause in para 17 to be inserted in the agreement “The permitted the right to lay cable/ duct has also been granted as a right of way to the concessionaire under the concession agreement for up- gradation of ..... section from km ..... of NHAI No .....on build operate and transfer basis and therefore, the licensee shall honor the same.	N/A	
11	Who will supervise the work of laying of PNG/OFC/ cable	M/s INDRAPRASTHA GAS LIMITED.	
12	Who will ensure that the defects in road portion after laying of PNG/OFC/ Cable are corrected and if not corrected then what action will be taken	M/s INDRAPRASTHA GAS LIMITED.	
13	Who will pay the claims for damages done/ disruption in working of Concessionaire if asked by the Concessionaire	M/s INDRAPRASTHA GAS LIMITED.	
14	If any previous approval is accorded for laying of cable, then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH-33044/29/2015/S&R® dated 22.11.2016 as referred in Para 4 above is enclosed or not.	No	

31

Authorized Signatory  
(M/s. INDRAPRASTHA GAS LIMITED)  
**SOMIL GARG**  
Addl. General Manager  
Indraprastha Gas Limited  
IGL Bhawan, Plot No. 4, R.K. Puram  
Sector-9. New Delhi-110022

gaur

Project Director  
National Highway Authority of India  
PIU-BAGHPAT

ofit