

No. RW/TRI/Utility/10/2018-19

Government of India

Ministry of Road Transport & Highways

Regional Office (Kerala & Lakshadweep Region)

Public Office Building, Opposite to Museum,

Thiruvananthapuram - 695033.

Phone No. 0471-2320879, 2326306; email : rokeralamorth@gmail.com

Dated: 04.09.2019

Invitation of public comments

Sub:- Proposal for laying OFC on NH 966 in between Km 51/100 to 51/500 (Both sides) in Malappuram District -reg.

The proposal is seeking permission for trenching and laying OFC along the road from Km.51/100 to 51/500 on NH-966 in Malappuram district in the state of Kerala by M/s Reliance infocomm Limited submitted to this office vide EE,PWD NH Division, Malappuram's letter dated 17.08.2019 in accordance with Ministry's latest guidelines dated 22.11.2016.

2. The proposal for trenching and laying of OFC along the NH from Km.51/100 to 51/500 on NH-966 as under:

Stretch in Km.	Length (Km.)	ROW (m)
LHS (Open trench Method)		
51/100 to 51/500	0.270 km	12.00
LHS road Crossing (HDD Method)		
at Km 51/370	0.050 km	12.00
NH Crossing(HDD Method)		
At Km.51/500	0.050 km	12.00
RHS (Open trench Method)		
51/100 to 51/500	0.370 km	12.00
NH Crossing(HDD Method)		
At Km.51/100	0.050 km	12.00

3. M/s Reliance Jio Infocomm Limited, Cochin has proposed to lay OFC from Km.51/100 to 51/500 on NH-966 by Open Trench/HDD method.

4. M/s Reliance Jio Infocomm Limited, Cochin has furnished an undertaking that, they will shift the utility at their own cost if required for expansion of reach by MORTH/NHAI/PWD or any other Highways authorities within the time frame prescribed by MORTH/NHAI/PWD. Further, it is also mentioned by the M/s Reliance Jio Infocomm Limited, Cochin that the proposed OFC work will not affect the design, stability, traffic safety and future improvement of proposed stretch. In addition, all the undertakings as prescribed in the checklist has been furnished by the M/s Reliance Jio Infocomm Limited, Cochin.

5. As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the application will be made available for public comments and the comments will be invited within 30 days from the date of uploading in the Ministry's web site.


P.T.O

6. In view of above, comments of the public on the above proposal is invited to the below mentioned address:

The Regional Officer
Ministry of Road Transport & Highways,
Public Office Building,
Thiruvananthapuram - 695033.

Encl: As above.

Yours faithfully,



419114

(V.V. Sastry)

Regional Officer cum Highway Administration

Copy to:

1. Senior Technical Director, NIC for uploading in the Ministry's website
2. The Executive Engineer, PWD NH Division, Malappuram for information please.


419114

(V.V. Sastry)

Regional Officer cum Highway Administration


CHECK LIST


Guidelines for processing the proposal for accommodation of Public and Industrial Utility services along and across National Highways

Relevant circulars


1. Ministry circular No. NH-41(58)/68 dated 31-01-1969
2. Ministry circular No. NH-III/P/66/76 dated 18-11-1976
3. Ministry circular No. RW-NJ-III/P/66/76 dated 01-05-1982
4. Ministry circular No. RW/NH-11037/1/86-DO(I) dated 28-07-1993
5. Ministry circular No. RW/NH-11037/1/86-DO(I) dated 19-01-1995
6. Ministry Circular No. RW/NH-34066/2/95/S&R dated 25-10-1999
7. Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17-09-2003
8. Ministry Circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016


L. No	ITEM	Information/Status	Remarks
1.	General Information	Proposal description.....	
1.1	Name and Address of the applicant/agency	RELIANCE JIO	
1.2	National Highway Number	NH 966	
1.3	State	KERALA	
1.4	Location	MALAPPURAM TOWN	KM 51/000
	Chainage in Km	Length (km)	ROW (m)
			Distance of Proposed Utility from Centre of NH
			LHS/RHS
	KM.51/100-51/500	270M	12.00
	KM.51/100-51/500	370M	12.00
	HDD METHOD	150M	12.00
	HDD PIT	5NOS(1.5x1.5)	12.00
			3NOS LHS 2NOS RHS
1.5	Defect Liability Period of last work undertaken in the stretch	NIL	
1.6	Proposed location of Utility line crossing the NH	NEAR CO-OPERATIVE BANK TO TRIPURANTHAKA TEMPLE	
1.7	Proposal to acquire land	NO	
1.8	Whether proposal is in the same side where land is not to be acquired.	NO	
1.9	Details of already laid services , if any along the proposed route	KWA,BSNL,RELIANCE.OTHER PRIVATE UTILITIES,KSEB	
1.10	Number of existing lanes (2/4/8 lanes)	2 LANES	




 EXECUTIVE ENGINEER
 NATIONAL HIGHWAY DIVISION
 MALAPPURAM


1.11	Proposed number of lanes (2 lane with paved shoulders/4/6/8 lanes)	2 LANES WITH PAVED SHOULDERS	
1.12	Service road existing or not if yes, then which side	N.A	
1.13	Proposed service road	NIL	
1.14	Whether proposed utility line is after the service road or between the service road and main carriageway	NA	
1.15	Whether carrying of utility line has been proposed on highway bridges if yes then mention the methodology proposed for the same	N.A	
1.16	Whether carrying of utility line has been proposed on the parapet /any part of the bridges. If yes then mention the methodology proposed for the same	NA	
1.17	Length and Locations where HDD Proposed	150M NEAR CO-OPERATIVE BANK TO TRIPURANTHAKA TEMPLE	
1.18	Length and Locations where Open Cut is proposed	640 m (RHS) , NEAR CO- OPERATIVE BANK TO TRIPURANTHAKA TEMPLE	
1.19	If crossing of the road involved. If yes it shall be either encased in pipes or through structure or conduit specially built for the purpose at the expense of the agency owing the line	HDD THROUGH PIPES	
	(a) whether existing drainage structures are allowed to carry utility line	NO	
	(b) Is It on a line normal to NH	NO, IT ON A LINE INCLINED TO NH	
	(c) what is the distance of crossing the utility line from the existing structures crossing shall not be too near the existing structures on the NH minimum distance being 15m	MORE THAN 15M	
	(d) The casing pipe (or conduit pipe in the case of electric cables) carrying the utility line shall be of steel, Cast iron or reinforce cement concrete or have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing	NA	OFC CABLE LAYING PURPOSE
	(e) Ends of casing / conduit pipes shall be sealed form outside , so that it does not act as drainage path	YES	




 EXECUTIVE ENGINEER
 NATIONAL HIGHWAY DIVISION
 MALAPPURAM

	(g) The top of the casing /conduit pipe containing the utility services to cross the road shall be atleast 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being atleast 0.3m below the drain inverts. Mention the proposed details.	YES	
	(h) Mention the methodology proposed for the crossing of road for the proposed utility line. Crossing shall be by boring method (HDD) (trenchless technology) . where the stretch is in Defect Liability Period (DLP)	HDD	NIL
	(f) the casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a water way along it	YES	
2.	Document/drawings to be enclosed with the proposal	YES	
2.1	Cross section showing the size of the trench for open trenching method (Is it normal size of 1.2 m deep x 0.3m wide) 1. Should not be greater than 60cm wider than the outer diameter of the pipe. 2. Located as close to the extreme edge of the right of way as possible. 3. shall not be permitted to run along the national highways when the road formation is situated in double cutting nor shall be laid over the existing culverts and bridges. 4. These should be so laid that their top is least 0.5m below the ground level so as not to obstruct the drainage of the road land.	1.5Mx1.5M YES YES YES	
2.2	Cross section showing the size of the pit and the location of the cable for HDD method	1.5Mx1.5M	
2.3	Strip plan/route plan showing the proposed utility line, distance of proposed pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	EDGE DISTANCE =.50M KM STONE=NIL INTERSECTION =YES CROSS DRIYANGE =NILL	
2.4	Methodology for laying of utility line	HDD	
2.4.1	Open trenching method (Open trenching in Bituminous surface will be allowed in the utility corridor only where road is not under Defect liability Period, with proper justification for not using HDD)	NO	

2




[Signature]
EXECUTIVE ENGINEER
NATIONAL HIGHWAY DIVISION
MALAPPURAM


	If yes, what is the methodology for refilling the trench		
	a) Defect Liability Period of the Stretch	NO	
	b) The trench width should be atleast 30cm, but not more than 60cm wider than the outer diameter of the pipe	YES	
	c) For filling of the trench, bedding shall be at a depth of not less than 30cm. It shall consist of granular material, free of lumps, clods, and cobbles and graded to yield a firm surface without a sudden change in the bearing values. Unsuitable soil and rock edged should be excavated and replaced by selected materials.	YES	
	d) The backfill shall be completed in two stages (1) side fill to level of the top of the pipe and (2) over fill to the bottom of the road crest.	YES	
	e) The side fill shall consists of granular material laid in 15 cm layers each consolidated by mechanical tempering and controlled addition of moisture to 95 % of the proctors density. Over fill shall be compacted to the same density as the material that has been removed. Consolidation by saturation or ponding will not be permitted.	YES	
	f) The road crest shall be built to the same strength as the existing crest on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	YES	
	g) The excavation shall be protected by flag man, signs and barricades and red lights during night hours.	YES	
	h) If required, a diversion shall be constructed at the expense of the agency owing the petroleum line/ underground water conductor system	YES	
2.4.2	Locations and Total length of Stretch where Open trenching adopted	LENGTH=640M NEAR CO-OPERATIVE BANK TO TRIPURANTHAKA TEMPLE	
2.4.3	Horizontal directional drilling (HDD), method	HDD	

2.4.4	Methodology for laying of utility line through CD works and method of laying. In cases where the carrying of Gas pipe line on the bridge becomes in escapable.	NIL	
2.4.5	Location and Total length of Stretch where HDD adopted	LENGTH=150M, NEAR CO-OPERATIVE BANK TO TRIPURANTHAKA TEMPLE	
3.	Draft license agreement is submitted along with the proposal	YES	
3.1	The license fee estimate as per ministry's guide lines issued vide circular number RW/NH-33044/29/2015/S&.R(R) dated 22.11.2016	RS/-587039	
4.	Whether performance bank guarantee as per ministry's circular number RW/NH-33044/29/2015/S&.R(R) dated 22.11.2016 is obtained/undertaking attached	RS/-181250	
4.1	Confirmation of BG has been obtained or not as per MORTH/NHAI guide lines	NOT CONFIRMAED	
5.	Affidavit /Undertaking form the applicant for the following is to be furnished.	YES	
5.1	Undertaking for not to damage any other utility, if damaged then to pay the losses either to the MoRTH/NHAI/PWD or to the concerned agency as decided by MoRTH.	BG ASSIGNED	
5.2	Undertaking for renewal of bank guarantee as and when asked by MORTH/NHAI/PWD	CAN BE RENEWED	
5.3	Undertaking for confirming all standard conditions of MoRTH's circulars number RW/NH-33044/29/2015/S&.R(R) dated 22.11.2016	YES	
5.4	Undertaking for indemnity against all damages and claims	YES	
5.5	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	YES	
5.6	Undertaking that prior approval of the MoRTH/NHAI/PWD shall be obtained before undertaking any work for installation, shifting or repairs or alterations to the utility line located in the National Highway right of ways.	YES	
5.7	Undertaking that expenditure if any incurred by PWD/MORTH/NHAI for repairing any damage caused to the national highway by the laying, maintenance or shifting of the utility	YES	


Q



5



EXECUTIVE ENGINEER
NATIONAL HIGHWAY DIVISION
MALAPPURAM

	line will be borne by the applicant agency owing the line.		
5.8	Undertaking that text of license deed is as per verbatim of MORTH format (issued by ministry's Circular number RW/NH-33044/29/2015/S&R(R) dated 22.11.2016	AFTER CONFIRMATION OF DN	
5.9	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, Chief controller of explosives, petroleum and explosive organization, oil industry safety directorate , state / central pollution control board and any other statutory clearances as applicable before applying to the highway administrations.	YES	
5.10	Undertaking that the utility line will be shifted by the utility agency at the cost of the agency owing the utility line, if the MORTH / NHAI/PWD consider it necessary in future to shift the utility line for expansion of road.	YES	
6.	Who will sign the agreement on behalf of utility line agency	RELIANCE JIO INFOCOMM LTD	
	Power of attorney to sign the agreement is available or not	YES	
7.	Certificate from PD NHAI/Executive Engineer, PWD as per the format	YES	



EXECUTIVE ENGINEER
 NATIONAL HIGHWAY DIVISION
 MALAPPURAM

Road Cutting for RELIANCE JIO - KM 51/100 - 51/500 of NH 966



[Signature]
Assistant Engineer II
P.W.D. .NH. Sub Division
Perintalmanna

[Signature]
Assistant Executive Engineer
P.W.D. N.H. Sub Division
PERINTHALMANNA

[Signature]
EXECUTIVE ENGINEER
P.W.D. NATIONAL HIGHWAY DIVISION
PERINTHALMANNA